



The School Board of Miami-Dade County, Florida  
 SCHOOL BOARD ADMINISTRATION BUILDING  
 Procurement Management Services  
 1450 N.E. 2 nd Avenue, Room 352  
 Miami, Fl. 33132

Direct All Inquiries To  
 Procurement Management Services

Buyer: O. Houser  
 PHONE: (305) 995-2349  
 TDD PHONE: (305) 995-2400

BID/RFP ADDENDUM

Date: August 17, 2007  
 Addendum No. 1

BID/RFP No.: 041-GG09

BID/RFP TITLE: Epoxy Flooring: Furnish and Install (District Wide)

This addendum modifies the conditions of the above referenced BID/RFP as follows:

1. The bid opening date has been changed from August 21, 2007 to September 4, 2007, by 2:00 pm. (See revised Bidder Qualification Form).
2. Bid Proposal Form (Format B), pages 1 through 6 have all been replaced. Attached are the new Bid Proposal Form (Form B), pages 1 through 6, marked ADDENDUM NO. 1.

The attached pages containing clarifications, additional information and requirements constitutes an integral part of the referenced bid.

- 1 If your bid/proposal has not been mailed, substitute the pages marked REVISED and mail your entire bid/proposal package. **REMEMBER TO SIGN THE BIDDER QUALIFICATION FORM.**

OR

2. If your bid/proposal has been mailed, sign and return this addendum form with the revised pages by the time and date indicated on the revised Bidder Qualification Form.  
**BY SIGNING THIS ADDENDUM, THE VENDOR AGREES TO THE TERMS AND CONDITIONS CONTAINED IN THE BIDDER QUALIFICATION FORM AND ALL RELATED BID DOCUMENTS.**

**I acknowledge receipt of Addendum Number 1.**

*PLEASE NOTE: If your firm has mailed a copy of this bid/proposal to another vendor, it is your responsibility to forward them a copy of this addendum.*

(PLEASE TYPE OR PRINT BELOW)

LEGAL NAME OF BIDDER: \_\_\_\_\_

MAILING ADDRESS: \_\_\_\_\_

CITY, STATE ZIP CODE: \_\_\_\_\_

TELEPHONE NUMBER: \_\_\_\_\_ E-MAIL I.D. \_\_\_\_\_ FAX # \_\_\_\_\_

BY: SIGNATURE (Manual): \_\_\_\_\_

OF AUTHORIZED REPRESENTATIVE  
 NAME (Typed)- \_\_\_\_\_ TITLE: \_\_\_\_\_

OF AUTHORIZED REPRESENTATIVE



## BIDDER QUALIFICATION FORM

BID NO. \_\_\_\_\_

BID TITLE \_\_\_\_\_

Direct all inquiries to Procurement Management Services:

BUYER NAME: \_\_\_\_\_

E-MAIL ADDRESS: \_\_\_\_\_

PHONE: (305) \_\_\_\_\_

FAX NUMBER \_\_\_\_\_

TDD PHONE (305) 995-2400

Bids will be accepted until 2:00 PM on \_\_\_\_\_ in room 351, School Board Administration building, 1450 NE 2nd Avenue, Miami, FL., 33132, at which time they will be publicly opened. Bids may not be withdrawn for \_\_\_\_\_ days after opening. (Refer to Instructions to Bidders, para. IV.B.)

THE SUBMISSION OF THE BID BY THE VENDOR, ACCEPTANCE AND AWARD OF THE BID BY THE SCHOOL BOARD OF MIAMI-DADE COUNTY, FLORIDA, AND SUBSEQUENT PURCHASE ORDERS ISSUED AGAINST SAID AWARD SHALL CONSTITUTE A BINDING, ENFORCEABLE CONTRACT. UNLESS OTHERWISE STIPULATED IN THE BID DOCUMENTS, NO OTHER CONTRACT DOCUMENTS SHALL BE ISSUED.

I. A. BIDDER CERTIFICATION AND IDENTIFICATION

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, or person submitting a bid for the same materials, supplies, or equipment, and is in all respects fair and without collusion or fraud. I agree to abide by all conditions of this bid; and I certify that I am authorized to sign this bid for the bidder.

B. Vendor certifies that it satisfies all necessary legal requirements as an entity to do business with the School Board of Miami-Dade County, Florida.

II. INDEMNIFICATION

The Bidder shall hold harmless, indemnify and defend the indemnities (as hereinafter defined) against any claim, action, loss, damage, injury, liability, cost or expense of whatsoever kind or nature including, but not by way of limitation, attorney's fees and court costs arising out of bodily injury to persons, including death, or damage to tangible property arising out of or incidental to the performance of this Contract (including goods and services provided thereto) by or on behalf of the Bidder, whether or not due to or caused in part by the negligence or other culpability of the indemnity, excluding only the sole negligence or culpability of the indemnity. The following shall be deemed to be indemnities: The School Board of Miami-Dade County, Florida and its members, officers and employees.

III. PERFORMANCE SECURITY, is required on this bid. YES  NO

Refer to **INSTRUCTIONS TO BIDDERS**, para. VII., and VI.

IF PERFORMANCE SECURITY IS REQUIRED, PLEASE INDICATE THE TYPE TO BE FURNISHED:

Performance Bond  Check (Cashier's, Certified, or equal)

An original, manual signature is required on the Bidder Qualification Form.  
(Bidder is requested to use blue ink)  
(Do not use pencil)

**Legal Name of Vendor** \_\_\_\_\_

**Mailing Address** \_\_\_\_\_

**City** \_\_\_\_\_ **State** \_\_\_\_\_ **Zip Code** \_\_\_\_\_

**Telephone No.** \_\_\_\_\_ **E-mail address** \_\_\_\_\_

**By: Signature (Original)**

**Of Authorized Representative** \_\_\_\_\_ **Date** \_\_\_\_\_

**Name (Typed or Printed)**

**Of Authorized Representative** \_\_\_\_\_ **Date** \_\_\_\_\_

---

FROM: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

AFFIX  
POSTAGE  
HERE

THE SCHOOL BOARD OF MIAMI-DADE COUNTY, FLORIDA  
PROCUREMENT MANAGEMENT SERVICES  
ROOM NO. 352 BID BOX  
1450 N.E. 2<sup>ND</sup> AVENUE  
MIAMI, FLORIDA 33132

BID NO.: \_\_\_\_\_  
BID TITLE: \_\_\_\_\_  
BID OPENING DATE: \_\_\_\_\_

---

THE SCHOOL BOARD OF MIAMI-DADE COUNTY, FLORIDA  
Procurement Management Services

NOTICE OF PROSPECTIVE BIDDERS

NO BID

If not submitting a bid at this time, for informational purpose only, detach this sheet from the bid documents, complete the information requested, fold as indicated, staple, affix postage and return address, and mail. **NO ENVELOPE IS NECESSARY.**

NO BID SUBMITTED FOR REASON(S) CHECKED AND/OR INDICATED:

**Our company does not handle this type of product/service.**

**We cannot meet the specifications nor provide an alternate equal product.**

**Our company is simply not interested in bidding at this time.**

**OTHER, (Please specify)** \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

---

We do not want to be retained on your mailing list for future bids for this type or product and/or service.

Signature \_\_\_\_\_

Title \_\_\_\_\_

Company \_\_\_\_\_

---

**NOTE:** Failure to respond, either by submitting a bid or this completed form, may result in your company being removed from the School Board's bid list. To qualify as a respondent to the bid, vendor must submit a *NO BID*.

**The School Board of Miami-Dade County, Florida**  
**Bid No. 041-GG09**  
**Epoxy Flooring: Furnish and Install (District Wide)**

**ADDENDUM NO. 1**

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the complete name of the bidder:

---

**Bid No.: 041-GG09**

**Title: Epoxy Flooring: Furnish and Install (District Wide)**

**Buyer: O. Houser**

**PLEASE PROVIDE PRICING BELOW:**

ITEM	DESCRIPTION OF ITEM	REVISED ESTIMATED QUANTITY (18 Months)	UNIT	UNIT PRICE
<p><b>AWARD:</b> An award will be made on a <b>total low</b> bid basis, based on the (estimated quantity (X) the unit price), for Items <b>1 through 81</b>, to the lowest responsive, responsible <b>primary, and one alternate vendor</b>, meeting all specifications. <b>An award for individual line items <u>will not</u> be made against this bid, therefore vendor(s) must bid all 81 items in order to be considered for an award.</b></p>				
<p><b>Items 1 through 14 will be for projects from 0 to 500 Sq. Ft..</b></p>				
	<p><b>1/8" Epoxy Flooring, Type N - Normal Duty, shall have a minimum SCoF (slip resistance) coefficient of 0.60.</b></p>			
	<p><b>1/4" Epoxy Flooring, Type H - Heavy Duty, shall have a minimum SCoF (slip resistance) coefficient of 0.70.</b></p>			
1	Repair of existing 1/8" epoxy flooring to match thickness of existing epoxy floor, to include: removal of damaged existing epoxy floor, substrate preparation, and two separate floodcoats (clearcoat/sealer).	500	Sq. Ft.	\$ _____ Per Sq. Ft.
2	Repair of existing 1/4" epoxy flooring to match thickness of existing epoxy floor, to include: removal of damaged existing epoxy floor, substrate preparation, and two separate floodcoats (clearcoat/sealer).	500	Sq. Ft.	\$ _____ Per Sq. Ft.
3	Install 1/4" thick new epoxy flooring replacing existing quarry tile to include: removal of existing tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	500	Sq. Ft.	\$ _____ Per Sq. Ft.
4	Install 1/4" thick new epoxy flooring replacing existing ceramic tile to include: removal of existing tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	500	Sq. Ft.	\$ _____ Per Sq. Ft.
5	Install 1/4" thick new epoxy flooring over existing concrete to include: substrate preparation, and two separate floodcoats (clearcoat/sealer).	4,000	Sq. Ft.	\$ _____ Per Sq. Ft.
6	Install 1/4" thick new epoxy flooring replacing existing vinyl tile to include: removal of existing vinyl tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,000	Sq. Ft.	\$ _____ Per Sq. Ft.
7	Install 1/4" thick new epoxy flooring over existing wood floor to include: substrate preparation, and two separate floodcoats (clearcoat/sealer). Does not include repair/replacement of damaged wood floor.	500	Sq. Ft.	\$ _____ Per Sq. Ft.
8	Install 1/4" thick new epoxy flooring over existing epoxy floor to include: substrate preparation, and two separate floodcoats (clearcoat/sealer).	500	Sq. Ft.	\$ _____ Per Sq. Ft.
9	Remove and replace kitchen equipment, including disconnect and reconnect of gas, water and electrical supplies. Contractor must submit drop test certification in writing to M-DCPS.	20	Each Job	\$ _____ Each Job

**The School Board of Miami-Dade County, Florida**  
**Bid No. 041-GG09**  
**Epoxy Flooring: Furnish and Install (District Wide)**

**ADDENDUM NO. 1**

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the complete name of the bidder:

---

**Bid No.: 041-GG09**

**Title: Epoxy Flooring: Furnish and Install (District Wide)**

**Buyer: O. Houser**

**PLEASE PROVIDE PRICING BELOW:**

ITEM	DESCRIPTION OF ITEM	REVISED ESTIMATED QUANTITY (18 Months)	UNIT	UNIT PRICE
10	Remove and replace storage shelving, furniture and non-kitchen equipment. Does not include built-in storage/shelving units.	20	Each Job	\$ _____ Each Job
11	Supply and install non-skid epoxy floor coating 1/8", with a minimum slip coefficient of 0.70.	500	Sq. Ft.	\$ _____ Per Sq. Ft.
12	Supply and install non-skid epoxy floor coating 1/4", with a minimum slip coefficient of 0.60.	500	Sq. Ft.	\$ _____ Per Sq. Ft.
13	Remove mortar/mudbed and restore original floor elevation with the epoxy flooring manufacturer's approved sub floor product, 2" thick, or less. Price shall include disposal of removed material and debris	500	Sq. Ft.	\$ _____ Per Sq. Ft.
14	Remove mortar/mudbed and restore original floor elevation with the epoxy flooring manufacturer's approved sub floor product, greater than 2" thick. Price shall include disposal of removed material and debris	3,000	Sq. Ft.	\$ _____ Per Sq. Ft.
<b>Items 15 through 27 will be for projects from 501 to 1,500 Sq. Ft..</b>				
15	Repair of existing 1/8" epoxy flooring to match thickness of existing epoxy floor, to include: removal of damaged existing epoxy floor, substrate preparation, and two separate floodcoats (clearcoat/sealer).	1,500	Sq. Ft.	\$ _____ Per Sq. Ft.
16	Repair of existing 1/4" epoxy flooring to match thickness of existing epoxy floor, to include: removal of damaged existing epoxy floor, substrate preparation, and two separate floodcoats (clearcoat/sealer).	1,500	Sq. Ft.	\$ _____ Per Sq. Ft.
17	Install 1/4" thick new epoxy flooring replacing existing quarry tile to include: removal of existing tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	1,500	Sq. Ft.	\$ _____ Per Sq. Ft.
18	Install 1/4" thick new epoxy flooring replacing existing ceramic tile to include: removal of existing tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,000	Sq. Ft.	\$ _____ Per Sq. Ft.
19	Install 1/4" thick new epoxy flooring over existing concrete to include: substrate preparation, and two separate floodcoats (clearcoat/sealer).	9,000	Sq. Ft.	\$ _____ Per Sq. Ft.
20	Install 1/4" thick new epoxy flooring replacing existing vinyl tile to include: removal of existing vinyl tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	9,000	Sq. Ft.	\$ _____ Per Sq. Ft.
21	Install 1/4" thick new epoxy flooring over existing wood floor to include: substrate preparation, and two separate floodcoats (clearcoat/sealer). Does not include repair/replacement of damaged wood floor.	1,500	Sq. Ft.	\$ _____ Per Sq. Ft.

**The School Board of Miami-Dade County, Florida**  
**Bid No. 041-GG09**  
**Epoxy Flooring: Furnish and Install (District Wide)**

**ADDENDUM NO. 1**

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the complete name of the bidder:

---

**Bid No.: 041-GG09**

**Title: Epoxy Flooring: Furnish and Install (District Wide)**

**Buyer: O. Houser**

**PLEASE PROVIDE PRICING BELOW:**

ITEM	DESCRIPTION OF ITEM	REVISED ESTIMATED QUANTITY (18 Months)	UNIT	UNIT PRICE
22	Install 1/4" thick new epoxy flooring over existing epoxy floor to include: substrate preparation, and two separate floodcoats (clearcoat/sealer).	1,500	Sq. Ft.	\$ _____ Per Sq. Ft.
23	Remove and replace kitchen equipment, including disconnect and reconnect of gas, water and electrical supplies. Contractor must submit drop test certification in writing to M-DCPS.	20	Each Job	\$ _____ Each Job
24	Remove and replace storage shelving, furniture and non-kitchen equipment. Does not include built-in storage/shelving units.	20	Each Job	\$ _____ Each Job
25	Supply and install non-skid epoxy floor coating with a minimum slip coefficient of 0.8.	1,500	Sq. Ft.	\$ _____ Per Sq. Ft.
26	Remove mortar/mudbed and restore original floor elevation with the epoxy flooring manufacturer's approved sub floor product, 2" thick, or less. Price shall include disposal of removed material and debris	4,500	Sq. Ft.	\$ _____ Per Sq. Ft.
27	Remove mortar/mudbed and restore original floor elevation with the epoxy flooring manufacturer's approved sub floor product, greater than 2" thick. Price shall include disposal of removed material and debris	3,000	Sq. Ft.	\$ _____ Per Sq. Ft.
<b>Items 28 through 40 will be for projects from 1501 to 3500 Sq. Ft.</b>				
28	Repair of existing 1/8" epoxy flooring to match thickness of existing epoxy floor, to include: removal of damaged existing epoxy floor, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
29	Repair of existing 1/4" epoxy flooring to match thickness of existing epoxy floor, to include: removal of damaged existing epoxy floor, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
30	Install 1/4" thick new epoxy flooring replacing existing quarry tile to include: removal of existing tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	7,000	Sq. Ft.	\$ _____ Per Sq. Ft.
31	Install 1/4" thick new epoxy flooring replacing existing ceramic tile to include: removal of existing tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
32	Install 1/4" thick new epoxy flooring over existing concrete to include: substrate preparation, and two separate floodcoats (clearcoat/sealer).	24,500	Sq. Ft.	\$ _____ Per Sq. Ft.
33	Install 1/4" thick new epoxy flooring replacing existing vinyl tile to include: removal of existing vinyl tile, substrate and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
34	Install 1/4" thick new epoxy flooring over existing wood floor to include: substrate preparation, and two separate floodcoats (clearcoat/sealer). Does not include repair/replacement of damaged wood floor.	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
35	Install 1/4" thick new epoxy flooring over existing epoxy floor to include: substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.

**The School Board of Miami-Dade County, Florida**  
**Bid No. 041-GG09**  
**Epoxy Flooring: Furnish and Install (District Wide)**

**ADDENDUM NO. 1**

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the complete name of the bidder:

---

**Bid No.: 041-GG09**

**Title: Epoxy Flooring: Furnish and Install (District Wide)**

**Buyer: O. Houser**

**PLEASE PROVIDE PRICING BELOW:**

ITEM	DESCRIPTION OF ITEM	REVISED ESTIMATED QUANTITY (18 Months)	UNIT	UNIT PRICE
36	Remove and replace kitchen equipment, including disconnect and reconnect of gas, water and electrical supplies. Contractor must submit drop test certification in writing to M-DCPS.	15	Each Job	\$ _____ Each Job
37	Remove and replace storage shelving, furniture and non-kitchen equipment. Does not include built-in storage/shelving units.	15	Each Job	\$ _____ Each Job
38	Supply and install non-skid epoxy floor coating with a minimum slip coefficient of 0.8.	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
39	Remove mortar/mudbed and restore original floor elevation with the epoxy flooring manufacturer's approved sub floor product, 2" thick, or less. Price shall include disposal of removed material and debris	10,000	Sq. Ft.	\$ _____ Per Sq. Ft.
40	Remove mortar/mudbed and restore original floor elevation with the epoxy flooring manufacturer's approved sub floor product, greater than 2" thick. Price shall include disposal of removed material and debris	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
<b>Items 41 through 53 will be for projects greater than 3500 Sq. Ft.</b>				
41	Repair of existing 1/8" epoxy flooring to match thickness of existing epoxy floor, to include: removal of damaged existing epoxy floor, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
42	Repair of existing 1/4" epoxy flooring to match thickness of existing epoxy floor, to include: removal of damaged existing epoxy floor, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
43	Install 1/4" thick new epoxy flooring replacing existing quarry tile to include: removal of existing tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
44	Install 1/4" thick new epoxy flooring replacing existing ceramic tile to include: removal of existing tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
45	Install 1/4" thick new epoxy flooring over existing concrete to include: substrate preparation, and two separate floodcoats (clearcoat/sealer).	14,000	Sq. Ft.	\$ _____ Per Sq. Ft.
46	Install 1/4" thick new epoxy flooring replacing existing vinyl tile to include: removal of existing vinyl tile, substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
47	Install 1/4" thick new epoxy flooring over existing wood floor to include: substrate preparation, and two separate floodcoats (clearcoat/sealer). Does not include repair/replacement of damaged wood floor.	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
48	Install 1/4" thick new epoxy flooring over existing epoxy floor to include: substrate preparation, and two separate floodcoats (clearcoat/sealer).	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.



**The School Board of Miami-Dade County, Florida**  
**Bid No. 041-GG09**  
**Epoxy Flooring: Furnish and Install (District Wide)**

**ADDENDUM NO. 1**

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the complete name of the bidder:

---

**Bid No.: 041-GG09**

**Title: Epoxy Flooring: Furnish and Install (District Wide)**

**Buyer: O. Houser**

**PLEASE PROVIDE PRICING BELOW:**

ITEM	DESCRIPTION OF ITEM	REVISED ESTIMATED QUANTITY (18 Months)	UNIT	UNIT PRICE
49	Remove and replace kitchen equipment, including disconnect and reconnect of gas, water and electrical supplies. Contractor must submit drop test certification in writing to M-DCPS.	12	Each Job	\$ _____ Each Job
50	Remove and replace storage shelving, furniture and non-kitchen equipment. Does not include built-in storage/shelving units.	12	Each Job	\$ _____ Each Job
51	Supply and install non-skid epoxy floor coating with a minimum slip coefficient of 0.8.	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
52	Remove mortar/mudbed and restore original floor elevation with the epoxy flooring manufacturer's approved sub floor product, 2" thick, or less. Price shall include disposal of removed material and debris	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
53	Remove mortar/mudbed and restore original floor elevation with the epoxy flooring manufacturer's approved sub floor product, greater than 2" thick. Price shall include disposal of removed material and debris	3,500	Sq. Ft.	\$ _____ Per Sq. Ft.
<b>Ancillary Services</b>				
54	Remove and replace floor mounted toilets including disconnect and reconnect of water supply.	200	Each	\$ _____ Each
55	Remove and replace privacy partitions.	500	Per Linear Ft.	\$ _____ Per Linear Ft.
56	Slope to drain maximum thickness 2"	1,000	Sq. Ft.	\$ _____ Per Sq. Ft.
57	Slope to drain thickness greater than 2".	1,000	Sq. Ft.	\$ _____ Per Sq. Ft.
58	Supply and install 4" integral cove base.	10,000	Per Linear Ft.	\$ _____ Per Linear Ft.
59	Supply and install 6" integral cove base.	5,000	Per Linear Ft.	\$ _____ Per Linear Ft.
60	Replace 4" round floor drain in any type surface in which the existing drain is fully or partially exposed.	20	Each	\$ _____ Each
61	Replace 6" round floor drain in any type surface in which the existing drain is fully or partially exposed.	20	Each	\$ _____ Each
62	Replace 4" round floor drain in any type surface in which the existing drain is unexposed.	10	Each	\$ _____ Each
63	Replace 6" round floor drain in any type surface in which the existing drain is unexposed.	100	Each	\$ _____ Each
64	Install Moisture Barrier	38,000	Sq. Ft.	\$ _____ Per Sq. Ft.
65	Install stairs treads.	15,000	Sq. Ft.	\$ _____ Per Sq. Ft.
66	Install stairs risers.	15,000	Per Linear Ft.	\$ _____ Per Linear Ft.
67	Install stairs stringers.	1,000	Per Linear Ft.	\$ _____ Per Linear Ft.

**The School Board of Miami-Dade County, Florida**  
**Bid No. 041-GG09**  
**Epoxy Flooring: Furnish and Install (District Wide)**

**ADDENDUM NO. 1**

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the complete name of the bidder:

---

**Bid No.: 041-GG09**

**Title: Epoxy Flooring: Furnish and Install (District Wide)**

**Buyer: O. Houser**

**PLEASE PROVIDE PRICING BELOW:**

ITEM	DESCRIPTION OF ITEM	REVISED ESTIMATED QUANTITY (18 Months)	UNIT	UNIT PRICE
68	Remove existing metal stair nosings & prepare stairs to receive new epoxy nosings & coatings.	25,000	Per Linear Ft.	\$ _____ Per Linear Ft.
69	Install stairs nosings.	10,000	Per Linear Ft.	\$ _____ Per Linear Ft.
70	Install stairs landings.	2,500	Sq. Ft.	\$ _____ Per Sq. Ft.
71	Prepare and install impervious epoxy coatings on walls and ceilings.	50,000	Sq. Ft.	\$ _____ Per Sq. Ft.
72	Repair / replace seriously damaged walls to receive impervious coatings.	20,000	Sq. Ft.	\$ _____ Per Sq. Ft.
73	Plumber to replace shut off valves for gas lines. (must be appropriately Certified)	40	Each Job	\$ _____ Each
74	Plumber to replace shut off valves for plumbing fixtures.	60	Each	\$ _____ Each
75	Plumber to replace covers for 4" round floor drains.	40	Each Job	\$ _____ Each Job
76	Plumber to replace covers for 6" round floor drains.	40	Each Job	\$ _____ Each Job
77	Plumber to replace flush valves for toilets.	40	Per Toilet	\$ _____ Per Toilet
78	Monthly price to furnish 40 cubic ft. storage container.	50	Each Month	\$ _____ Each Month
79	Monthly price to furnish 20 cubic ft. storage container.	50	Each Month	\$ _____ Each Month
80	Additional mobilizations / setups to complete a project that requires work to be performed in excess of three phases.	30	Per Additional Set-up	\$ _____ Per Additional Set-up
81	Furnish and install new bullet feet on metal shelves.	500	Each	\$ _____ Each