



THE SCHOOL BOARD OF MIAMI-DADE COUNTY, FLORIDA
 SCHOOL BOARD ADMINISTRATION BUILDING
 Procurement Management Services
 1450 N.E. 2nd Avenue, Room 650
 Miami, FL 33132

Direct All Inquiries To Procurement Management Services Buyer's Name: _____ PHONE: (305) 995-_____ Email: _____ TDD PHONE: (305) 995-2400
--

BID/RFP ADDENDUM

Date: _____
 Addendum No. _____

BID/RFP No. _____ BID/RFP TITLE: _____

This addendum modifies the conditions of the above-referenced BID/RFP as follows:

All information, specifications terms, and conditions for the above-referenced BID/RFP, are included on the document posted on the Procurement Management website at <http://procurement.dadeschools.net>

The attached pages containing clarifications, additional information and requirements constitute an integral part of the referenced bid. If your bid/proposal has not been submitted, substitute the pages marked REVISED and mail your entire bid/proposal package.

I acknowledge receipt of Addendum Number _____

PLEASE NOTE: If your firm has forwarded a copy of this bid/proposal to another vendor, it is your responsibility to forward him/her a copy of this addendum.

(PLEASE TYPE OR PRINT BELOW)

LEGAL NAME OF BIDDER: _____

MAILING ADDRESS: _____

CITY, STATE ZIP CODE: _____

TELEPHONE NUMBER: _____ E-MAIL _____ FAX # _____

BY: SIGNATURE (Manual): _____
 OF AUTHORIZED REPRESENTATIVE

NAME (Typed): _____ TITLE: _____
 OF AUTHORIZED REPRESENTATIVE

**Invitation to Bid
ITB-20-039-EV
Security System Services**

**ADDENDUM NO. 1
Questions and Answers**

The following changes, additions, clarifications, and/or deletions amend the ITB document of the above captioned solicitation and shall become an integral part of the Contract Documents.

QUESTIONS AND ANSWERS:

- Q1. Contract period, is it three (3) years the first agreement plus up two possible additional periods of one (1) year each?
A1. Pursuant to Section 5.1 of the ITB, the initial agreement period will be for three (3) years. The renewal terms are two (2) possible periods of one (1) year each.
- Q2. Evaluation of a subcontractor, will it be based on a company-level basis or employee-level basis?
A1. The Bidder shall be held fully responsible and liable for the supervision and performance of all work performed by subcontractors.
- Q3. Will the subcontractor evaluation be conducted before the award or after it?
A3. The Bidder shall be held fully responsible and liable for the supervision and performance of all work performed by subcontractors.
- Q4. What are the brands and models of the current systems, cameras, and active intermediate components?
A4. See attached list of current replacement equipment and material.
- Q5. Do these systems, cameras, and intermediate active components count with an active vendor service contract that allows software upgrades and part replacements?
A5. The software and system upgrades are included as Base Services.
- Q6. When could the inspections/site surveys be done (before offering)?
A6. Please email the Procurement Contact who will coordinate the details of the site visit with the user department.
- Q7. How many facilities for simultaneous servicing would be a benchmark?
A7. Refer to Section 6 – 6.1.6 – A. Scope of Services: # 2. (Historically 75 new service tickets are issued weekly).
- Q8. What are the specific qualifications, trainings and licenses the personnel shall have?
A8. Refer to Section 6 – 6.1.2 Bidder Qualifications and Requirements – A. for required licenses. Technicians must be/become manufactured certified on all equipment/software/programs used for this contract and is required to have extensive knowledge of IT systems, Refer to Section 6 – 6.1.2 Bidder Qualifications and Requirements – H.
- Q9. May the local or toll-free telephone number be answered from outside Florida?
A9. Bidder shall maintain offices, facilities, and personnel within the State of Florida and shall be accessible by a local or toll-free telephone number and is able to receive calls during regular business hours.

- Q10. What does "Contractor Database" mean?
A.10. **This is the media used to communicate service tickets and visit responses back and forward between MDCPS and contractor.**
- Q11. Preventive Maintenance, how often shall these maintenances be provided?
A11. **As per each facility on an as needed basis.**
- Q12. Instead of repairing something, can the bidder replace it?
A12. **All replacements must be pre-approved by MDCPS.**
- Q13. What is the M-DCPS Master Specifications and Design Criteria?
A13. **Please see links below:**
- http://facilities.dadeschools.net/2004-MasterSpec_Div2-16.asp
<http://facilities.dadeschools.net/designCriteria.asp>
- Q14. Is there any equipment the bidder needs to provide at first hand, at the beginning of the contract?
A14. **Any equipment that fails at the onset of the contract terms has to be readily available for replacement through the awarded vendor. All equipment/parts should be procured and provided by the contractor as per attached authorized equipment list.**
- Q15. I'm contacting you to inquire about a bid I found online for Security/Safety Consulting for Miami-Dade County Public Schools. Are you looking for a security/safety consulting for perimeter safety/security consulting or cybersecurity?
A15. **We are not looking for security/safety consulting for perimeter safety/security consulting or cybersecurity.**
- Q16. If rental equipment is necessary for a service visit, will MDCPS pay for these costs?
A16. **No, required equipment rentals are included in Base Services.**
- Q17. Does the preventive maintenance include service to cameras only or does it also include service to NVRs, servers, cabling, and any other components related to a CCTV system?
A17. **Basic services include all equipment/parts/cabling/racks/etc. associated to the security camera system.**
- Q18. Will cable and materials needed for corrective maintenance be purchased through the awarded vendor?
A18. **Basic services include all labor to replace/repair cabling. Cables/terminals/connectors and/or any related parts will be paid as additional services, as indicated on the contract.**
- Q19. Does the County require a bid bond at the time of submitting the bid/quote?
A19. **Miami-Dade County Public Schools doesn't require a bid bond for this solicitation.**
- Q20. What would be the percentage amount of the performance bid guaranty?
A20. **Please refer to Section 4, Instructions to Bidders, VII. Performance Security, C.2. Amount for further details.**
- Q21. Is it only preventive maintenance or also corrective maintenance? If the latter, will equipment be purchased through us or any authorized vendor?
A21. **Contract includes both, preventive and corrective maintenance, all equipment/parts should be procured and provided by the contractor as per authorized equipment list, see attachment. MDCPS reserves the right to provide equipment to the contractor as needed or required.**

Q22. Will the maximum rate per hour remain in place for the duration of the project (3 - 5 years) or will we have the opportunity to adjust it yearly?

A22. Labor rate shall remain fixed through the duration of the contract.

Q23. Will the project be awarded to a single vendor, or will it be awarded to multiple vendors? If the latter, what percentage of the work will be awarded to each?

A23. The recommendation for award, for one Primary vendor and two (2) Alternate vendors, will be submitted through Procurement staff to the School Board. The award decision will be made by the School Board, whose decision shall be final.

Q24. Will the work be performed during regular business hours only?

A24. Please refer to Section 6 – 6.1.1 – B. Working Day. Also 6.1.6 – D. Requested Services: # 2.

Q25. Could you please define what constitutes regular business hours and schedule?

A25. Please refer to Section 6 – 6.1.1 – B. Working Day. Also 6.1.6 – D. Requested Services: # 2.

Q26. How many preventive service maintenance visits will be performed per location, per year?

A26. This Will be determined as needed per facility and prioritized with service requests.

Maintenance Term Bid Contract Parts List -- 2021		
Description	Manufacturer	Model Number
Altonix Power Supply	Altonix	ALTV1224DC
TRANSCEIVER HUB 8 CHANNELS + POWER SUPPLY	Altronix	Altronix HubWay LD162D
TRANSCEIVER HUB 16 CHANNELS + POWER SUPPLY	Altronix	Altronix HubWay LD82D
VIDEO CARD FOR WORKSTATION	AMD	AMD Radeon R5 340x
P3707 PE FIXED DOME	AXIS	0815-001
AXIS T94M02D PENDNT	AXIS BRACKET	5507-511
AXIS T94M02D Ceiling - T91B51	AXIS BRACKET	5507-461
AXIS T91D61 WALL MOUNT	AXIS BRACKET	5504-821
FIBER OPTIC CONNECTOR HOUSING 1U & CONNECTOR PAI	CORNING	1U Fiber Connector Housing
CONNECTOR PANEL	CORNING	Duplex 6 Stand
DELL SERVER T3620 4.0 16G 1TB	DELL	T3620-I7-16-ITB-W10
DELL OPTIPLEX 3050 TOWER	DELL	WSO3050-15-8-500-W10
DELL WRK STATION,16GB,2T	DELL	WSO3620-3.0-16-2T-R0
DELL 22"LED MONITOR	DELL	E2216H
NVR VIDEO SERVER 24TB	DELL/Video Insight	NVR-T-1-1-24TB T330 SERVER
NVR VIDEO SERVER 48TB	DELL/Video Insight	NVR-T-1-1-48TB T330 SERVER
NVR VIDEO SERVER 36TB	DELL/Video Insight	NVR-T-1-1-36TB T330 SERVER
NVR VIDEO SERVER 12TB	DELL/Video Insight	NVR-T-1-1-12TB T330 SERVER
CODE TRANSLATOR FOR GE PTZ CAMERAS	GE	KTD313
FIX CAMERA ANALOG	HikVision	DS-2CE56D8T-AVPIT3ZF
O/D IR Dome, HD1080P, 40M IR, D/N, DWDR	HikVision	DS-2CE56D5T-AVPIR3
PTZ ANALOG O/D ,TURBOHD,2MP/ 30X OPT ZOOM	HikVision	DS-2AE5232T-A
PTZ INDOOR, TURBO HD 23X OPT ZOOM (CEILING)	HikVision	DS-2AE4225T-A3
FIX CAMERA IP 4MP OUTDOOR DOME 2.8 IP	HikVision	DS-2CD2143G0-I 2.8MM
FIX CAMERA IP 3MP OUTDOOR DOME 2.8 IP	HikVision	DS-2CD2135FWD-I 2.8MM
FIX CAMERA IP 3MP OUTDOOR DOME 2.8 IP	HikVision	DS-2CD2132F-I 2.8MM
FIX CAMERA IP 3MP OUTDOOR DOME 4 IP	HikVision	DS-2CD2132F-I 4MM
FIX CAMERA IP 3MP/1080P OUTDOOR DO H264, D/N IR IP	HikVision	DS-2CD2143G0-I 4MM
PTZ CAMERA IP O/D PTZ D/N , 1.3M/7 IP66, 20X OPT ZOOM,	HikVision	DS-2DE5174-AE
PTZ CAMERA IP INDOOR MINI PTZ 2M/1 20X OPT ZOOM	HikVision	DS-2DE4220-AE3
BRACKET, WALL MNT. L W/ JUNCTION BOX	HikVision	WML
BRACKET CONDUIT BASE	HikVision	CB110
WALL MOUNT BRACKET	HikVision	PC110
BRACKET, PTZ, WALL M	HikVision	WMP-L
BRKT, PTZ, JUNCTION W/ WALL BRKT	HikVision	JBPW
BRACKET WALL MNT, SH W/ JUNCTION BOX	HikVision	WMS
VIDEO SERVER,16CH,H2 STREAM,HD-TVI/CVBS,A	HikVision	DS-6716HQHI-SATA
VIDEO SERVER,8CH,H26 EAM,HD-TVI?CVBS,AUDI	HikVision	DS-6708HQHI-SATA
PANOVU OUTDOOR 8MP M.SENSOR	HIKVISION	DS-2CD6D24FWD-Z
20MP 25FPS 2.8-12MM MOTOR LENS	HIKVISION	DS-2CD6D54FWD-Z
22" Monitor	HikVision	DS-D5022QE-B
19" Monitor	HikVision	DS-D5019QE-B
VIDEO SERVER,16CH,H2 STREAM,HD-TVI/CVBS,A	HikVision	DS-6716HUHI-K
MM GBIC LC	HP	J4858C
HP2530-24-POE SWITCH	HP SWITCH	J9779A
HP-2620-24 -POE+- SJ9625A	HP SWITCH	J9625A
16 Ch - UTP Transceiver Slim Line	Hubway	LD162D2
UPS POWER SUPPLY	Minute Man	PRO1500RT2U
CCTV SURGE PROTECTOR	NITEK	IPPWR1
PATCH PANEL 24 PORTS	NPP-6024	24 Port- CAT6
HDD 4TB 3.5" 5900RPM 64MB CACHE SATA	Seagate	ST4000VX000
HDD 8TB 3.5" INTERNAL H SATA 7200RPM 256MB B	Seagate	ST8000VX002
HDD 2TB 3.5" 5900RPM 64MB CACHE SATA	Seagate - WD	ST2000VX000 - WD20PURZ
UPS POWER SUPPLY	TRIPP LITE	Tripp Lite SMART 1500LCD
LICENSE PER CAMERA F UNLIMITED SUP FOR UP	VIDEO INSIGHT	IPSV-UL
VIDEO DATA DISTRIBUTOR	Vitec	VT-DD16
16-PORT PASSIVE HD V CEIVER		VI10016
8-PORT PASSIVE HD VI		VI10008
1PORT HD VIDEO TRANS		VI10001P
COAX PIGTAIL W/ MALE 1 PORT HD VIDEO TRAN MALE BNC		VI10001M
OPEN LAN RACK BENCH		RSLAN24
OPEN LAN RACK BENCH		RSLAN48
256GB ULTRA CLASS MI		MICROSDHC128GB
128GB ULTRA CLASS MI		MICROSDHC128GB
64GB ULTRA CLASS MI		MICROSDHC64GB
SM MEDIA CONVERTER		
MM MEDIA CONVERTER		
FIBER OPTICS PATCH CABLE		LC-SC 1M-50M
PATCH PANEL 48 PORTS		48 Port- CAT6
BATTERIES		6FM9
LONGSPAN BASE W/POE		VLS-1P-B
LONGSPAN CAMERA EXT		VLS-1P-C
4 SPACE VENTED UTILI		U4V
18SP/26D WALLRACK BL		DWR-18-26
18SP SOLID FRONTDR,		FD-18
32" FAN KIT		DWR-FK32
2SP FRNT & REAR MT S		VDS
COAXIAL VIDEO SURGE		AZSPBNC
HDMI to VGA		HDI-6102
GBIC		J4859C-AO
Bracket PTZ Ceiling Pendat Mount		CPM-S PTZ