

The School Board of Miami-Dade County, Florida  
Plastic Can Liners  
Bid # 008-MM06

PRIMARY



ALTERNATE



BID PROPOSAL FORM (FORMAT B)

Type or print in this box the  
complete name of the bidder:  
Bid #008-MM06  
Title: Plastic Can Liners  
Buyer: G. Jackson

Prepared By:

Verified By:

Buyer: G. Jackson										
ITEM	DCPS #	DESCRIPTION OF ITEM	EST.  QTY	UNIT	*CALICO INDUSTRIES			CENTRAL POLY CORPORATION		
					Unit Price	Total Price	Manuf & Model	Unit Price	Total Price	Manuf & Model
		<u>IMPORTANT BID NOTES: INITIAL BID PRICE SHALL BE EFFECTIVE FOR THREE MONTHS FROM DATE OF AWARD. A REQUEST FOR QUOTE (RFQ) WILL BE ISSUED TO THE THREE (3) LOW BIDDERS FOR EACH ITEM MEETING SPECIFICATIONS AS NEEDED DURING THE TERM OF THE BID. ESTIMATED QUANTITIES ARE FOR A ONE YEAR PERIOD BASED ON PREVIOUS HISTORY, HOWEVER, M-DCPS IS NOT OBLIGATED TO PURCHASE ANY AMOUNT DURING THE TERM OF THIS CONTRACT.</u>								
		<u>SAMPLES: SAMPLES WILL BE REQUIRED FOR TESTING AND EVALUATION AFTER BID OPENING. THE BUYER WILL NOTIFY BIDDERS IN WRITING WHO ARE BEING CONSIDERED FOR AWARD. ALL PRODUCTS PURCHASED AS A RESULT OF THIS SOLICITATION, MUST MEET ALL SPECIFICATION CRITERIA SUCH AS THICKNESS, IMPACT RESISTANCE, ETC. THE BIDDER CERTIFIES, BY SIGNING THE BID PROPOSAL FORM, THAT IF AWARDED THIS CONTRACT, THEY WILL PROVIDE BAGS MEETING ALL SPECIFICATIONS EXACTLY AS LISTED IN THIS BID. FAILURE TO DO SO OR ANY UNAUTHORIZED SUBSTITUTION MAY SUBJECT THE BIDDER TO DEFAULT PROCEEDINGS AS OUTLINED IN INSTRUCTIONS TO BIDDERS, SECTION VI - F. AFTER AWARD OF BID, RANDOM SHIPMENT SAMPLES WILL BE TESTED FOR COMPLIANCE. PRODUCTS NOT MEETING SPECIFICATIONS MAY BE REJECTED WITH REPLACEMENT OF PRODUCT REQUIRED AT NO COST TO THE DISTRICT. MIAMI-DADE COUNTY PUBLIC SCHOOLS WILL NOT BE RESPONSIBLE FOR PAYMENT OF PRODUCTS NOT MEETING SPECIFICATIONS AS DESCRIBED IN THIS SOLICITATION.</u>								
1	2000674	<p><b>Plastic Compactor Bag :</b> Polyethylene bag, dimensions: width= 43.0" (+/- 1.0"), length= 47.0" (+/- 1.0"). Thickness shall be 2 mil (+/- 0.1 mil. variance allowed). The bags shall be flat-seamed and all seams shall be as strong as the rest of the bag. Bags could be in any color with exception of red or white and shall be packed 50 bags per case, in a cardboard container with 5 " to 11" wire ties pre-packaged inside the container. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 15 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 127 grams dart.</p> <p><i>Minimum order 500 cases</i></p>	1,500	Case	\$13.60	\$20,400.00	Flexsol 9910783 SPF	\$9.94	\$14,910.00	GP Plastic CL04713

The School Board of Miami-Dade County, Florida  
Plastic Can Liners  
Bid # 008-MM06

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the complete name of the bidder:
Bid #008-MM06
Title: Plastic Can Liners
Buyer: G. Jackson

Prepared By: \_\_\_\_\_

Verified By: \_\_\_\_\_

2	2000685	<p><b>Plastic Can Liner:</b> Polyethylene bag, dimensions: width= 38.0" (+/- 1.0"), length= 58.0" (+/- 1.0"). Thickness shall be 2 mil. (+/- 0.1 mil.). Bags could be in any color with exception of red or white and shall be packed 50 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 15 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 127 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 500 cases</i></p>	1,000	Case	\$14.84	\$14,840.00	Flexsol 9911132 SPF	\$10.95	\$10,950.00	*GP Plastic CL04717
3	2000764	<p><b>Plastic Can Liner:</b> Polyethylene bag with leak-proof seams, dimensions: width= 33.0" (+/- 1.0"), length= 38.0" (+/- 1.0"). Thickness shall be 38 micron (+/- 2.5 micron.) Bags could be in any color with exception of red or white and shall be packaged in cartons of 250 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 7.5 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 97 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 1,680 cases or one truckload.</i></p>	6,000	Case	\$31.44	\$188,640.00	Flexsol 9910265 SPF	\$22.60	\$135,600.00	GP Plastic CL04715
4	2000738	<p><b>Plastic Can Liner:</b> Polyethylene bag, dimensions: width= 40.0" (+/- 1.0"), length= 48.0" (+/- 1.0") with 5"-11" wire ties. Thickness shall be 38 micron (+/- 2.5 micron.) Bags could be in any color with exception of red or white and shall be packed in 100 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate the brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 7.5 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 97 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 2,000 cases or full truckload</i></p>	30,000	Case	\$19.04	\$571,200.00	Flexsol 9910503 SPF	\$13.99	\$419,700.00	GP Plastic CL04716
5	2000743	<p><b>Plastic Can Liner:</b> polyethylene leak-proof bag, 7 to 10-gallon capacity, minimum trash can dimension = 23"x 24" (+2.0"). Thickness shall be a minimum of 8 micron. Bags could be in any color with exception of red or white and should be packed 1000 per case (roll, perforated). Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 36 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order: 1,500 cases</i></p>	4,000	Case	\$13.44	\$53,760.00	Calico Imports 9970080	\$10.40	\$41,600.00	GP Plastic CL04712

The School Board of Miami-Dade County, Florida  
Plastic Can Liners  
Bid # 008-MM06

BID PROPOSAL FORM (FORMAT B)

Type or print in this box the  
complete name of the bidder:  
Bid #008-MM06  
Title: Plastic Can Liners  
Buyer: G. Jackson

ITEM	DCPS #	DESCRIPTION OF ITEM	EST.  QTY	UNIT	DISTRICT HEALTHCARE			GLOPAK CORPORATION		
					Unit Price	Total Price	Manuf & Model	Unit Price	Total Price	Manuf & Model
		<p><b>IMPORTANT BID NOTES:</b> INITIAL BID PRICE SHALL BE EFFECTIVE FOR THREE MONTHS FROM DATE OF AWARD. A REQUEST FOR QUOTE (RFQ) WILL BE ISSUED TO THE THREE (3) LOW BIDDERS FOR EACH ITEM MEETING SPECIFICATIONS AS NEEDED DURING THE TERM OF THE BID. ESTIMATED QUANTITIES ARE FOR A ONE YEAR PERIOD BASED ON PREVIOUS HISTORY, HOWEVER, M-DCPS IS NOT OBLIGATED TO PURCHASE ANY AMOUNT DURING THE TERM OF THIS CONTRACT.</p>								
		<p><b>SAMPLES:</b> SAMPLES WILL BE REQUIRED FOR TESTING AND EVALUATION AFTER BID OPENING. THE BUYER WILL NOTIFY BIDDERS IN WRITING WHO ARE BEING CONSIDERED FOR AWARD. ALL PRODUCTS PURCHASED AS A RESULT OF THIS SOLICITATION, MUST MEET ALL SPECIFICATION CRITERIA SUCH AS THICKNESS, IMPACT RESISTANCE, ETC. THE BIDDER CERTIFIES, BY SIGNING THE BID PROPOSAL FORM, THAT IF AWARDED THIS CONTRACT, THEY WILL PROVIDE BAGS MEETING ALL SPECIFICATIONS EXACTLY AS LISTED IN THIS BID. FAILURE TO DO SO OR ANY UNAUTHORIZED SUBSTITUTION MAY SUBJECT THE BIDDER TO DEFAULT PROCEEDINGS AS OUTLINED IN INSTRUCTIONS TO BIDDERS, SECTION VI - F. AFTER AWARD OF BID, RANDOM SHIPMENT SAMPLES WILL BE TESTED FOR COMPLIANCE. PRODUCTS NOT MEETING SPECIFICATIONS MAY BE REJECTED WITH REPLACEMENT OF PRODUCT REQUIRED AT NO COST TO THE DISTRICT. MIAMI-DADE COUNTY PUBLIC SCHOOLS WILL NOT BE RESPONSIBLE FOR PAYMENT OF PRODUCTS NOT MEETING SPECIFICATIONS AS DESCRIBED IN THIS SOLICITATION.</p>								
1	2000674	<p><b>Plastic Compactor Bag:</b> Polyethylene bag, dimensions: width= 43.0" (+/- 1.0"), length= 47.0" (+/- 1.0"). Thickness shall be 2 mil (+/- 0.1 mil. variance allowed). The bags shall be flat-seamed and all seams shall be as strong as the rest of the bag. Bags could be in any color with exception of red or white and shall be packed 50 bags per case, in a cardboard container with 5" to 11" wire ties pre-packaged inside the container. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 15 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 127 grams dart.</p> <p><i>Minimum order 500 cases</i></p>	1,500	Case	\$10.15	\$15,225.00	*All American Poly BL4347	\$72.10	\$108,150.00	G4347

The School Board of Miami-Dade County, Florida  
Plastic Can Liners  
Bid # 008-MM06

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the complete name of the bidder:
Bid #008-MM06
Title: Plastic Can Liners
Buyer: G. Jackson

2	2000685	<p><b>Plastic Can Liner:</b> Polyethylene bag, dimensions: width= 38.0" (+/- 1.0"), length= 58.0" (+/- 1.0"). Thickness shall be 2 mil. (+/- 0.1 mil.). Bags could be in any color with exception of red or white and shall be packed 50 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 15 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 127 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 500 cases</i></p>	1,000	Case	\$10.82	\$10,820.00	*All American Poly BL3858	\$14.16	\$14,160.00	G3858
3	2000764	<p><b>Plastic Can Liner:</b> Polyethylene bag with leak-proof seams, dimensions: width= 33.0" (+/- 1.0"), length= 38.0" (+/- 1.0"). Thickness shall be 38 micron (+/- 2.5 micron.) Bags could be in any color with exception of red or white and shall be packaged in cartons of 250 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 7.5 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 97 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 1,680 cases or one truckload.</i></p>	6,000	Case	\$23.40	\$140,400.00	*All American Poly BL3338	\$26.50	\$159,000.00	Hexene G3338
4	2000738	<p><b>Plastic Can Liner:</b> Polyethylene bag, dimensions: width= 40.0" (+/- 1.0"), length= 48.0" (+/- 1.0") with 5"-11" wire ties. Thickness shall be 38 micron (+/- 2.5 micron.) Bags could be in any color with exception of red or white and shall be packed in 100 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate the brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 7.5 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 97 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 2,000 cases or full truckload</i></p>	30,000	Case	\$14.45	\$433,500.00	*All American Poly	\$15.60	\$468,000.00	Hexene G4048
5	2000743	<p><b>Plastic Can Liner:</b> polyethylene leak-proof bag, 7 to 10-gallon capacity, minimum trash can dimension = 23"x 24" (+2.0"). Thickness shall be a minimum of 8 micron. Bags could be in any color with exception of red or white and should be packed 1000 per case (roll, perforated). Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 36 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order: 1,500 cases</i></p>	4,000	Case	\$14.25	\$57,000.00	*Interplast 2423BL10 00	\$50.60	\$202,400.00	G2324

The School Board of Miami-Dade County, Florida  
Plastic Can Liners  
Bid # 008-MM06

BID PROPOSAL FORM (FORMAT B)

Type or print in this box the complete name of the bidder:  
Bid #008-MM06  
Title: Plastic Can Liners  
Buyer: G. Jackson

ITEM	DCPS #	DESCRIPTION OF ITEM	EST.  QTY	UNIT	PABCO INDUSTRIES			REX CHEMICAL		
					Unit Price	Total Price	Manuf & Model	Unit Price	Total Price	Manuf & Model
		<p><b>IMPORTANT BID NOTES:</b> INITIAL BID PRICE SHALL BE EFFECTIVE FOR THREE MONTHS FROM DATE OF AWARD. A REQUEST FOR QUOTE (RFQ) WILL BE ISSUED TO THE THREE (3) LOW BIDDERS FOR EACH ITEM MEETING SPECIFICATIONS AS NEEDED DURING THE TERM OF THE BID. ESTIMATED QUANTITIES ARE FOR A ONE YEAR PERIOD BASED ON PREVIOUS HISTORY, HOWEVER, M-DCPS IS NOT OBLIGATED TO PURCHASE ANY AMOUNT DURING THE TERM OF THIS CONTRACT.</p> <p><b>SAMPLES:</b> SAMPLES WILL BE REQUIRED FOR TESTING AND EVALUATION AFTER BID OPENING. THE BUYER WILL NOTIFY BIDDERS IN WRITING WHO ARE BEING CONSIDERED FOR AWARD. ALL PRODUCTS PURCHASED AS A RESULT OF THIS SOLICITATION, MUST MEET ALL SPECIFICATION CRITERIA SUCH AS THICKNESS, IMPACT RESISTANCE, ETC. THE BIDDER CERTIFIES, BY SIGNING THE BID PROPOSAL FORM, THAT IF AWARDED THIS CONTRACT, THEY WILL PROVIDE BAGS MEETING ALL SPECIFICATIONS EXACTLY AS LISTED IN THIS BID. FAILURE TO DO SO OR ANY UNAUTHORIZED SUBSTITUTION MAY SUBJECT THE BIDDER TO DEFAULT PROCEEDINGS AS OUTLINED IN INSTRUCTIONS TO BIDDERS, SECTION VI - F. AFTER AWARD OF BID, RANDOM SHIPMENT SAMPLES WILL BE TESTED FOR COMPLIANCE. PRODUCTS NOT MEETING SPECIFICATIONS MAY BE REJECTED WITH REPLACEMENT OF PRODUCT REQUIRED AT NO COST TO THE DISTRICT. MIAMI-DADE COUNTY PUBLIC SCHOOLS WILL NOT BE RESPONSIBLE FOR PAYMENT OF PRODUCTS NOT MEETING SPECIFICATIONS AS DESCRIBED IN THIS SOLICITATION.</p>								
1	2000674	<p><b>Plastic Compactor Bag:</b> Polyethylene bag, dimensions: width= 43.0" (+/- 1.0"), length= 47.0" (+/- 1.0"). Thickness shall be 2 mil (+/- 0.1 mil. variance allowed). The bags shall be flat-seamed and all seams shall be as strong as the rest of the bag. Bags could be in any color with exception of red or white and shall be packed 50 bags per case, in a cardboard container with 5" to 11" wire ties pre-packaged inside the container. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 15 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 127 grams dart.</p> <p><i>Minimum order 500 cases</i></p>	1,500	Case	\$11.05	\$16,575.00	JR Plastics PAB4347 BL2/50	\$11.87	\$17,805.00	Omega Plastics

The School Board of Miami-Dade County, Florida  
Plastic Can Liners  
Bid # 008-MM06

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the
complete name of the bidder:
Bid #008-MM06
Title: Plastic Can Liners
Buyer: G. Jackson

2	2000685	<p><b>Plastic Can Liner:</b> Polyethylene bag, dimensions: width= 38.0" (+/- 1.0"), length= 58.0" (+/- 1.0"). Thickness shall be 2 mil. (+/- 0.1 mil.). Bags could be in any color with exception of red or white and shall be packed 50 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 15 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 127 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 500 cases</i></p>	1,000	Case	\$12.05	\$12,050.00	JR Plastics PAB3858 BL2/50	\$12.85	\$12,850.00	Omega Plastics
3	2000764	<p><b>Plastic Can Liner:</b> Polyethylene bag with leak-proof seams, dimensions: width= 33.0" (+/- 1.0"), length= 38.0" (+/- 1.0"). Thickness shall be 38 micron (+/- 2.5 micron.) Bags could be in any color with exception of red or white and shall be packaged in cartons of 250 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 7.5 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 97 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 1,680 cases or one truckload.</i></p>	6,000	Case	\$25.52	\$153,120.00	*JP Plastics PAB3338 BL1.5/250	NO BID		
4	2000738	<p><b>Plastic Can Liner:</b> Polyethylene bag, dimensions: width= 40.0" (+/- 1.0"), length= 48.0" (+/- 1.0") with 5"-11" wire ties. Thickness shall be 38 micron (+/- 2.5 micron.) Bags could be in any color with exception of red or white and shall be packed in 100 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate the brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 7.5 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 97 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 2,000 cases or full truckload</i></p>	30,000	Case	\$15.60	\$468,000.00	*JR Plastics PAB4048 BL1.5/100	NO BID		
5	2000743	<p><b>Plastic Can Liner:</b> polyethylene leak-proof bag, 7 to 10-gallon capacity, minimum trash can dimension = 23"x 24" (+2.0"). Thickness shall be a minimum of 8 micron. Bags could be in any color with exception of red or white and should be packed 1000 per case (roll, perforated). Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 36 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order: 1,500 cases</i></p>	4,000	Case	\$18.90	\$75,600.00		\$13.48	\$53,920.00	*Omega Plastics

The School Board of Miami-Dade County, Florida  
Plastic Can Liners  
Bid # 008-MM06

BID PROPOSAL FORM (FORMAT B)

Type or print in this box the  
complete name of the bidder:  
Bid #008-MM06  
Title: Plastic Can Liners  
Buyer: G. Jackson

ITEM	DCPS #	DESCRIPTION OF ITEM	EST. QTY	UNIT	TOTALPACK		
					Unit Price	Total Price	Manuf & Model
		<p><b>IMPORTANT BID NOTES:</b> INITIAL BID PRICE SHALL BE EFFECTIVE FOR THREE MONTHS FROM DATE OF AWARD. A REQUEST FOR QUOTE (RFQ) WILL BE ISSUED TO THE THREE (3) LOW BIDDERS FOR EACH ITEM MEETING SPECIFICATIONS AS NEEDED DURING THE TERM OF THE BID. ESTIMATED QUANTITIES ARE FOR A ONE YEAR PERIOD BASED ON PREVIOUS HISTORY, HOWEVER, M-DCPS IS NOT OBLIGATED TO PURCHASE ANY AMOUNT DURING THE TERM OF THIS CONTRACT.</p>					
		<p><b>SAMPLES:</b> SAMPLES WILL BE REQUIRED FOR TESTING AND EVALUATION AFTER BID OPENING. THE BUYER WILL NOTIFY BIDDERS IN WRITING WHO ARE BEING CONSIDERED FOR AWARD. ALL PRODUCTS PURCHASED AS A RESULT OF THIS SOLICITATION, MUST MEET ALL SPECIFICATION CRITERIA SUCH AS THICKNESS, IMPACT RESISTANCE, ETC. THE BIDDER CERTIFIES, BY SIGNING THE BID PROPOSAL FORM, THAT IF AWARDED THIS CONTRACT, THEY WILL PROVIDE BAGS MEETING ALL SPECIFICATIONS EXACTLY AS LISTED IN THIS BID. FAILURE TO DO SO OR ANY UNAUTHORIZED SUBSTITUTION MAY SUBJECT THE BIDDER TO DEFAULT PROCEEDINGS AS OUTLINED IN INSTRUCTIONS TO BIDDERS, SECTION VI - F. AFTER AWARD OF BID, RANDOM SHIPMENT SAMPLES WILL BE TESTED FOR COMPLIANCE. PRODUCTS NOT MEETING SPECIFICATIONS MAY BE REJECTED WITH REPLACEMENT OF PRODUCT REQUIRED AT NO COST TO THE DISTRICT. MIAMI-DADE COUNTY PUBLIC SCHOOLS WILL NOT BE RESPONSIBLE FOR PAYMENT OF PRODUCTS NOT MEETING SPECIFICATIONS AS DESCRIBED IN THIS SOLICITATION.</p>					
1	2000674	<p>Plastic Compactor Bag: Polyethylene bag, dimensions: width= 43.0" (+/- 1.0"), length= 47.0" (+/- 1.0"). Thickness shall be 2 mil (+/- 0.1 mil. variance allowed). The bags shall be flat-seamed and all seams shall be as strong as the rest of the bag. Bags could be in any color with exception of red or white and shall be packed 50 bags per case, in a cardboard container with 5" to 11" wire ties pre-packaged inside the container. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 15 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 127 grats dart.</p> <p><i>Minimum order 500 cases</i></p>	1,500	Case	\$13.53	\$20,295.00	Inteplast

The School Board of Miami-Dade County, Florida  
Plastic Can Liners  
Bid # 008-MM06

**BID PROPOSAL FORM (FORMAT B)**

Type or print in this box the complete name of the bidder:
Bid #008-MM06
Title: Plastic Can Liners
Buyer: G. Jackson

2	2000685	<p><b>Plastic Can Liner:</b> Polyethylene bag, dimensions: width= 38.0" (+/- 1.0"), length= 58.0" (+/- 1.0"). Thickness shall be 2 mil. (+/- 0.1 mil.). Bags could be in any color with exception of red or white and shall be packed 50 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 15 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 127 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 500 cases</i></p>	1,000	Case	\$14.68	\$14,680.00	Inteplast
3	2000764	<p><b>Plastic Can Liner:</b> Polyethylene bag with leak-proof seams, dimensions: width= 33.0" (+/- 1.0"), length= 38.0" (+/- 1.0"). Thickness shall be 38 micron (+/- 2.5 micron.) Bags could be in any color with exception of red or white and shall be packaged in cartons of 250 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 7.5 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 97 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 1,680 cases or one truckload.</i></p>	6,000	Case	\$30.47	\$182,820.00	Inteplast
4	2000738	<p><b>Plastic Can Liner:</b> Polyethylene bag, dimensions: width= 40.0" (+/- 1.0"), length= 48.0" (+/- 1.0") with 5"-11" wire ties. Thickness shall be 38 micron (+/- 2.5 micron.) Bags could be in any color with exception of red or white and shall be packed in 100 bags per case with the 5"-11" wire ties inside. Each carton should be completely identified to indicate the brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass the following tests: a) Tensile Strength according to ASTM D 882 with a minimum value of 7.5 Megapascals (MPa), and b) pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 97 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order 2,000 cases or full truckload</i></p>	30,000	Case	\$18.81	\$564,300.00	Inteplast
5	2000743	<p><b>Plastic Can Liner:</b> polyethylene leak-proof bag, 7 to 10-gallon capacity, minimum trash can dimension = 23"x 24" (+2.0"). Thickness shall be a minimum of 8 micron. Bags could be in any color with exception of red or white and should be packed 1000 per case (roll, perforated). Each carton should be completely identified to indicate brand and bag size. M-DCPS item number, bid and/or purchase order number, and the vendor's name. Bags must pass eight (8) out of ten (10) Impact Resistance Test (Dart Test) per modified ASTM D 1709 test with a 36 grams dart. Bags should be star bottom sealed.</p> <p><i>Minimum order: 1,500 cases</i></p>	4,000	Case	\$14.79	\$59,160.00	Inteplast S242408N