	BID SUMMARY SPR ITB-21-017-DP Studer	READSHEET nt Laptops	(UDT) (HP OPT	TION 1	UDT HP OPTION 2	2		UDT HP OPTION	3		UDT HP OPTION 4			Archangel (HP)			Evolvtec (Dell)	Arey Jones (Dell)				Arey Jones (Len	ovo)
Provide a detail M-DCF	ed description of the proposed solution below	y. The device must meet or exceed M-DCPS M Description of Proposed Solution	mimum Specifications.  Manufacturer/Model	Price	Description of Proposed Solution		eri Price			Price			Price	Description of Proposed Solution Manufacturer/Model	Price	Description of Proposed Solution Dell Latitude 3120 BTX	Manufacturer/Model Price	Description of Proposed Solution	Manufacturer/Model	Price	Description of Proposed Solution		Price
Form Factor	Convertible notebook (manufacturers Duit, HP, Lancov) that allows the device to switch between pulpo, tablet, and sert forms. Keyboard remains attached to the device at all times.		HP Fortis x360 G9 (Dual Camera 5MP)	\$485.45	Solution  Convertible	HP Probook x360 G7 (Dual Camera 5MP)	\$491.20	Description of Proposed Solution  Convertible	HP Fortis x360 G9	\$477.45	Solution	Model HP Probook x360 G7	482.70	Hewlett Packard HP ProBook x350 11 G/T EE 11:e* Touchscreen Convertible 2 in 1 Noticides xapports multi-tengange Authorities and indicates and privation, price touch part attached. This keyloned in Bull-duze and laise for garrand out of this way when in tablet mode.	685	Solution Del Latitude 3120 BTX	Dell Latitude 3120 586.92	Solution  Dell Latitude 3120 2-in-1	Dell Latitude 3120 2-in-1	591.51	Solution  Multi-mode: Laptop, tenf, stand, and tablet modes supported by 360" hinge	Lenovo 500w Gen 3	475.1
Keyboard	Multi-language keyboard support. Attached physicial pick-resistant and split proof keyboard with booch pad. Attached file-lake subploard that should be able to filip around out of the way in tablet mode.	meets / exceeds requirement Full-size island-dyle, spill and pick resistant keyboard, Clickpad with multi-louch gesture support			meets / exceeds requirement Full-aire slamd-style, spill and pick resistant keyboard Clickpad with multi-touch gesture support			meets / exceeds requirement Full-size island-style, spill and pick resistant keyboard; Clickpad with multi-touch gesture support	1		meets / exceeds requirement Full-size istand-style, spill and pick resistant keyboand; Clickpad with multi-fouch gesture support			+P ProBook x080 11 G7 EE 11.6" Touchsrown Convertible 2 in 1 Touchsrown Convertible 2 in 1 Introduce and relational propriate professional professional professional professional professional professional professional in 1884-1888 and in 8 sinks to figuratured out of the service of the servi		US non-backlit keyboard Engineered to endure spills and turnbiss with subberized edges and rounded comers for minimal drop impact, a spill-resistant keyboard and captive keys.		Spill and Pick resistent keyboard			6-row, spill-resistant, Anti- pry Key Caps, multi-touch touchpad		
Processor	Intel® Pentium® N8000 Quad Core Processor (2M Cache, 1.1 GHz with Turbo up to 3.3 GHz)	meets / ecceeds requirement HP IDS UMA Intel® Pentium® Silver NB000 (up to 3.3 GHz burst frequency, 4 MB L3 cache, 4 cores)			meets / exceeds requirement HP IDS UMA Intel® Pentium® Silver N5000 (up to 3.3 GHz burst frequency 4 MB L3 cache, 4 cores)			meets / exceeds requirement HP IDS UMA Intel® Pentium® Silver NE000 (up to 3.3 GHz burst frequency, 4 MB L3 cache, 4 cores)			meets / exceeds requirement HP IDS UMA Intel® Pentium® Silver N6000 (up to 3.3 GHz burst frequency, 4 MB L3 cache, 4 cores)			HP ProBook x380 11 GZ EE 11.6" Touchscreen Conventible 2 in 1 Nosbook includes Inhalle Pentium/B Sever NOBOO (CV 14T, 1.11 / 3.3GHz, 4MB L3) processor		Intel® Pentium® N6000 (4 MB cache, 4 cores, 4 threads)		Intel Pentium N6000 Quad Core			Intel Pentium Silver N6000		
Memory	8GB DOR RAM	meets / exceeds requirement 8GB LPDDR4X-2933 SDRAM memory			meets / exceeds requirement 8GB LPDDR4X-2933 SDRAM memory			meets / exceeds requirement 8GB LPDDR4X- 2933 SDRAM memory			meets / exceeds requirement 8GB LPDDR4X-2933 SDRAM memory			HP ProBook x390 11 G7 EE 11.6" Touchscreen Convertible 2 in 1 Notebook includes 8 GB LPDDR4s- 4266 SDRAM (onboard)		8 GB, 2 x 4 GB, LPDDR4, 2933 MHz, Dual-chenne		8GB, 2x4GB, 2933MHz LPDDR4, Dual Channel			8 GB LPDDR4X-4266MHz (Soldered)		
Graphics	Intel® UHD Graphics	meets / ecceeds requirement Intel® UHD Graphics			meets / exceeds requirement Intel® UHD Graphics			meets / exceeds requirement Intel® UHD Graphics			meets / exceeds requirement Intel® UHD Graphics			HP ProBook x360 11 G7 EE 11.6" Touchscreen Convertible 2 in 1 Notebook includes an Intel® UHD Graphics cand		Graphics Card Intel Pentium N8000 QC CPU + 8 GB memory Support Type C		Intel® HD Graphics			Intel UHD Graphics		
Storage	129GB SSD (eMMC not accepted)	meets / ecceeds requirement 128GB PClie NVMe Value Solid State Drive			meets / exceeds requirement 128GB PCIe NVMe Value Solid State Drive			meets / exceeds requirement 129GB PCIe NVMe Value Solid State Drive			meets / exceeds requirement 128GB PCIe NVMe Value Solid State Drive			HP ProBook x590 11 G7 EE 11.6" Touchscreen Conventible 2 in 1 Notebook includes 256 GB PCIeth NVMATM SSD		128 GB, M.2, PCIe NVMe, SSD, Class 35		M.2 128GB PCle NVMe Class 35 Solid State Drive			128 GB SSD M 2 2242 PCNe TLC		
Weight	3.5 lbs or less	meets / exceeds requirement 3.24b			meets / exceeds requirement 3.16lb			meets / socceeds requirement 3.24b			meets / exceeds requirement 3.16lb			HP ProBook x590 11 G7 EE 11.6" Touchscreen Convertible 2 in 1 Notebook weighs 3.15 ib		Weight: 3.12 lb (1.42 kg)		Starting weight: 3.12lbs			2.93 lbs		
wari	IEEE 802.11ax Duel-band 2c2 "high efficiency" WIF16. Will unabled and must meet the seathan of Electrical and Electronics Engineers (IEEE) 802.11 set of standards for implementing WLAN communications	meets / eccoledn requirement least WH-F is AX201 as: 252 MLMMISO m/P 160MHz +Bustooth 5 WW with 2 Antennas			meats / exceeds requirement tels Wi-Fi & AX201 ax 2x2 ML-MMD m/F 165MHz +Blueboth 5 WW with 2 Artennes			meets / ecceeds requirement Intel Wi-Fi 6 AX201 ax 2x2 MU-MIMD mP 160MHz +Blustooth 5 WW with 2 Antennas			meets / exceeds requirement trial W-Fi 6 AV201 ax 2x2 MU-MMO n/P 160MHz +Blustoch 5 WW with 2 Antennas			NP Problems 4300 11 OZ EE 11 0* Tocknicrown Convertible 2 in 1 Notichors (Assistance Intell AV201 Wi- Fré (202) weekee connectivity. Fré (202) weekee connectivity. Fré (202) weekee connectivity. Danis bane 202 might efficiency 1995 6 will unable and makes the Institute of Electrical and Electronics Engineers (IEEE, 2021 to set of Electrical and Electronics Engineers (IEEE, 2021 to set of Electronics Electronics Engineers (IEEE, 2021 to set of Electronics Ele		Intel® Dual Band Wireless AC 9560 (950.11to.) 2x2 + Bhastoch 5.1 WFi &		Intel W6-Fi 6 AX201 2x2 11 ax 160MHz			Intel Wi-Fi 6 AX201 2x2 AX		
Video Mirroring	Video mimoring must be supported	meets / cooseds requirement			meets / exceeds requirement			meets / exceeds requirement			meets / exceeds requirement			HP ProBook x390 11 G7 EE 11.8* Touchscreen Corvertible 2 in 1 Notabook supports video mirroring		Video Mirroring		Yes			Yes		
Bluetooth	MU-MIMO Bluetooth 5.0 or newer	meets / exceeds requirement Stustooth 5 WW with 2 Antennas			meets / exceeds requirement Bluetooth 5 WW with 2 Antennas			meets / exceeds requirement Sluetooth 5 WW with 2 Antennas			meets / exceeds requirement Bluetooth 5 WW with 2 Antennas			HP ProBook x380 11 G7 EE 11.6" Touchscreen Convertible 2 in 1 Notablook is equipped with Busecotivili 5 HP ProBook x390 11 G7 EE 11.6"		Bluetooth 5.1		Bluetooth 5.1			Bluetooth 5.0		
Operating System (OS)	Windows 10 Education/Device; must be Windows 11 upgradeable.	meets / ecceeds requirement			meets / exceeds requirement			meets / exceeds requirement			meets / exceeds requirement			Touchscreen Convertible 2 in 1 Notabbook is euipped with Windows 10 pro 84 and is Windows 11 sopradeable.		Windows 10 Education/Device; Windows 11 upgradeable.		Windows 10 Pro 64 bit Naff Ace Std.			Windows 11 Pro 64		
Energy Star	ENERGY STAR® certified, EPEAT® Gold registered	meets / exceeds requirement			meets / exceeds requirement			meets / exceeds requirement			meets / exceeds requirement			HP ProBook x080 11 G7 EE 11.6* Touchacrean Convertible 2 in 1 Notebook is carified by Energy star, EPEAT Gold, RoHS, FCC Compliance, BSMI, CCC, and CB		ENERGY STAR® 8.0 qualifie Compliant	d	EPEAT 2018 Registered (Gold)			ENERGY STAR® 8.0		
Webcam	5.0 MP front-facing camera capable of capturingleconding images and video at 720p or better	meets / exceeds requirement Dook Common 5MP Built-in user-facing 720p HD webcom with microphone -			meets / exceeds requirement Dual Camera SMP Bulli-in user-facing 720p HD webcam with microphone -			meets / exceeds requirement Built-in use facing 720p HD webcam with microphone - second camens available.			meets / exceeds requirement Built-in user- facing 720p HD webcam with microphone - second camera available.	-		HP ProBook x380 11 G7 EE 11.6" Toucherseen Convertible 2 in 1 Notebook includes built—11.30 MP foot-facing centers acquisite of explaining and recording images and video at 720p.		World-Facing camera, 5 MP, single-integrated microphone 2-in-1 only		Integrated webcam with microphone			Front 720p, with privacy shutter, fixed focus		
Rechargeable Battery	8-hour battery capacity that will allow the device to be used throughout a standard school day with the wireless antenna activated without being recharged	meets / ecceeds requirement Long Life 42Whr Fast Charge 3 cell Battery			resets / exceeds requirement Long Life 42Whr Fast Charge 3 cell Battery			meets / ecceeds requirement Long Life 42Whr Fast Charge 3 cell Bettery			meets / exceeds requirement Long Life 42Whr Fast Charge 3 cell Battery			HP Predicate (305) 11 GZ EE 11 67 Teachersone Conversible 2 in 1 Notificion has 10-hour battery capacity that allows the decision to be used throughout, a standard school day with the wiseless artifacts and without the resed to rechange.		Uninterrupted lessons with up to 10 hours of battery life.		4 Cell SSWHR ExpressCharge Battery			Integrated Li-Polymer 47Wh battery, 9.7 hr		
Display	Minimum and the state of t	meets / exceeds requirement 11.6 inch BV HD (1366x768) LED SVA 250 wHDC Touchscreen slin LCD Panel			meets / exceeds requirement 11.6 inch BV HD (1386x768) LED SVA 250 wHDC Touchscreen sim LCD Panel			meets / ecceeds requirement 11.6 inch BV HD (1368x785) LED SVA 250 wHDC Touchacreen sim LCD Panel			meets / exceeds requirement 11.6 inch BV HD (1366x768) LED SVA 250 wHDC Touchscreen sim LCD Panel			HP ProBook x090 11 GZ EE 11.0* Touchscreen Convertible 2 is 1 Nathocko display is 15° diagnosis, HD (1509 X 766), Souch, anti-glavs, 220 nts, 40% NTSC.		2-in-1, 11.6" HD 1366 x 768 Touch with Dragoniral Pro,WVA Camera & Microphone		2-in-1, 11.6" HD 1386 x 768 Touch with Dragontral Pro, WVA Camera & Microphone			11.6" HD (1386x768) Multi- trouch IPS 250 rata Glossy, anti-fingsrprint Coming Corilla Class		
Speaker	Built-in mono-speaker (2w)	meets / ecceeds requirementD audio, dual speakers, dual array microphones			meets / exceeds requirementD audio, dual speakers, dual array microphones			meets / exceeds requirementD audio, dual speakers, dual array microphones			meets / exceeds requirementD audio, dual speakers, dual array microphones			HP PreBook 1980 11 G7 EE 11.6* Touchscreen Convertible 2 in 1 Notisbook leptop festures a built-in 2w recens speaker.		Realtek® ALC3246-HDA, Hig Definition Audio	h	High Quality Speakers			Stereo speakers, 2W x2		
Ports	At minimum, the device must include the following:  - 2 USB 3.0  - 1 HOM  - 1 S-mm stereo headphone  - 1 USB-C (if a USB-C must be used to power be device, a second USB-C port must be waitable)	meets / exceeds requirement 2 SuperSpeed 1/56 Type-A SCIps signaling rate; 1 SuperSpeed USS Type-CP SCIps signaling Date Speed Type-CP SCIps signaling Date Speed Type-CP SCIPs Date Speed Type-CP SCIPS headsphones Type-CP SCIPS AC power			BIOS Update via Network; Master Boot Record Security; HP BIOSphere Gen8; Hardware Root of Trust			Absolute persistence module; HP DriveLoci and Automatic DriveLock; HP Secure Errase; HP Sure Serrase; BIOS Update via Network; HP BIOSphere Gen6; TPM 2.0 embedded security chip means / excesses	: :		BIOS Update via Network Master Boof Record Security: HP BIOSphere Gents; Hardware Root of Trust	:		HP ProBook x500 11 GT EE 11.6" Touriscene Convertible 2 in 1 Holdstook Malaria 2 Dourispiesed 1000 Type-14 Coop Type-14 1000 Type-14 Coop Type-14 1000 Type-14 Coop Type-15 1000 Type-14 Coop Type-15 1000 Type-14 1000 Type-14 1000 Type-15 1000 Type-15 1000 Type-15 1000 Type-15 1000 Type-15 1000 Type-15 11 11 11 11 11 11 11 11 11 11 11 11 1		2 USB 3.2 Gen 1 (1 with PowerShare), 1 USB Type-C <sup>16</sup> (Pentium only), 1 Headbet (Headphore and microphone combo) port, 1 HOMI 1.4 port		2 USB 3.2 Gen 1 1 HOM 1 Headist thric combo jack 1 USB Type-C			Ix USB 3.2 Gen 1 (Alwinya On) Ix USB 3.2 Gen 1 (Swinya On) Ix USB-C 3.2 Gen 1 (Support data transfer, Power Delivery 3.0, and DisplayPort <sup>1</sup> w 1.2) Ix HDM 1.4b Ix Card neader Ix Headplone I microshopa, combo lack		
Microphone	Buill-in microphone	weets / exceeds requirement			2 SuperSpeed USB Typi A 5Gbps signaling rate; SuperSpeed USB Type- C® 5Gbps signaling rate (USB Power Dathvery, Al mode DisplayPort** 1.2) 1 RJ-45; 1 headphone/microphone combo; 1 HDMI 1.4b; 1 AC power	1		security chip meets reconsus sequirement 2 SuperSpeed USB Type A 50thps signaling rate; 1 SuperSpeed USB Type-CB 50thps signaling rate (USB Power Delivery, At- mode DisplayPort** 1.2); 1 RJ-45; 1 headphoral/microphone			2 SuperSpeed USB Type- A SGbps signaling rate; 1 SuperSpeed USB Type- OID SGbps signaling rate (USB Power Delivery, Att- mode DisplayPort™ 1.2); 1 R.I.45; 1 headsphene/microphone combo; 1 HDMI 1.4b; 1 AC power			HP ProBook x360 11 G7 EE 11.6" Touthereen Convertible 2 in 1 Nelizook includes built-on encryptone.		WVA Carnera & Microphone		Integrated microphone			Single microphone		
Warranty	5-Year Device Warranty/3-Year Battery Warranty	meets / ecceeds requirement			meets / exceeds requirement			meets / exceeds requirement			meets / exceeds requirement			Archangel industes instructionsers' sourcettes for all devices, as well as Arcidertal Diemage Protection, depot and, hatery warrenties for 35 year coverage. The device coreas with a standard 3-year international warrenty, with the option to selected to the properties fraging for itsue time.		5-Year Device Warranty/3-Year Battery Warranty		5-Year Device Warranty/3- Year Battery Wirranty			5-Year Device Warranty/3- Year Battery Warranty		
Power Adapter	AC power adapter and appropriate interface/power cubie (minimum 5 ft. length)	meets / exceeds requirement			meets / exceeds requirement			meets / exceeds requirement			meets / exceeds requirement			HP ProBook x360 11 GZ EE 11.6" Toucharcean Conventible 2 in 1 Noblook bushel includes HP Smart 45 W Ederma AC prover adaptar; correptable selementance can be provided by Archangel if sequired.		65W 7.4mm bernel AC Adapter, 1981	<u> </u>	65 Type-C EPEAT Adapter			45W USB-C (3-pin) AC adapter		

					7 1		1 1		7 I						1		1	
Printing	Must have printing capability	meets / socieds requirement		meets / exceeds requirement		meets / ecceeds requirement		meets / exceeds requirement		HP Probleok x080 11 GP EE 11.6" Touchsream Convertible 2 I 1 Notebook is capable of printing most file format and is compatible with record printing wish balancoth or direct wise connection.		Printing			Yes			Yes
Accessibility	Meets ADA/Section 508 accessibility standards (The published guidelines may be found at http://section508.gov)	meets / ecceeds requirement		ments / exceeds requirement		meets / exceeds requirement	-	meets / exceeds requirement	-	HP Probook x390 11 G7 EE 11.6" Touchscreen Convertible 2 in 1 Notebook meets ADA; Section 508 accessibility standards.		Meets ADA/Section 508 accessibility standards			Yes			Yes
Ruggedized Case or Protective Cover	Ruggedzed Case or protective cover that is, at a minimum, capable of providing protection for the device sustaining a four-foot drop. Drop task- hould be performed in accordance with ML.— STD-810G. 8 Procedure IV and in accordance with ML.—STD-810G, Method 518.6 Procedure II.	meets / exceeds requirement		resets / acceds requirement		meets / ecceeds requirement		rmeets / exceleds requirement		Archaegel will provide Max, (Puerl, or shriller cases. These coies are rangedoded, and can profect legislate and profession of the control of		Droptech case: Passed 5 foot drop test, performed in accordance with MIL-STD-8102.6 Procedure IV and in accordance with MIL-STD-810C, Method 516.6 Procedure I.			The Burnp Aemor Ninja Cart Case meets the Minimum Specifications. It passes the Military Drop Tests and provides superior crush protection and shock absorption than a snep-on thanks to bis moded EVA form and reinforced purinted brinding. The top			Max Cases Entires Street.  L. custom (R. typed-shooting TPU bumpers shooting TPU bumpers shooting TPU bumpers shooting the street shooting to street (Clast y shooting to street (Clast y shooting to street).
Etching	Laser etching of district logo and other information as specified by the district. Confant, size, and location of arching will be determined by the District. Ability to etch at least 2000 devices daily.	meets / coopeds requirement		miests / exceeds requirement		meets / ecceeds requirement		rmeets / exceeds requirement		Archangel owns and operation a Laser Etching System - in house - capable of etching over 2000 devices per day to the desired appositionisms of the district, including oustomized logos.		Etching of district logo.			Included			Included
Asset Tagging	Nation 2. It purposes tags mean unga on as devices. Minimally the serial number in text, serial numb Code-122, image spe (Studerell'eaches), and any other information as specified by the District. Format, induding fort and fort size, must be approved by District. Askes tags must be essistent to weak, excitations, facing, heat, learing, alternation, and shaled. Askes tag must be scarmable by the code	meets / socieds requirement		resets / exceeds requirement		meets / exceeds requirement		meets / exceeds requirement		Archanged in Requisited of providing way dealer of separation of the same plane of separation of the Decident Asset large as summarial by Cheller Asset large as summarial by the dar on resident of to select, screenful, the dar on residential of to select, screenful, and the selection of the selection of the dar on residential of the selection of the dark of the selection of Archanged energies are no house season of energing and configure are sent energies and configure are sent exception of certaining, and verifying completion of providential processes.		Asset Tagging			Included			Included
Imaging/ Configuration	Formed evidence to Windows Autopilot with custom profile in District's Azore tenner. Set UEF1 configurations and password as specified by District. Be able to enroll and verify completion of provisioning process for 2000 devices delay.	meets / socceeds requirement		meets / exceeds requirement		meets / exceeds requirement		meets / exceeds requirement		Archangel employs an in-house base of imaging and configuration hachniciars/specialists who are well capable of armolling, and verifying compliction of provisioning processes for yeary 2000 desires near type		Devices enrolled to Windows Autoplot, Set UEFI as specified by District.			Included			Included
Documentation	Provide file of devices to the District in specified format or lampide including serial rumber, model, assigned location number, designated program, and other information as determined by the District within 48 hours of delivery.	meets / ecceeds requirement		meets / exceeds requirement		meets / cooseds requirement		meets / exceeds requirement		intrinsigns with play a lease to include managers whose role includes working together with government entities, such as school districts, in documenting all information requested in the desired formatting of the collaborating entity. All documentation		Inventory and assest deployment and report.			Included			Profuded
Warranty Ropairs	Provide 2 day response time to repair request. Have a local repair carter in Mismi-Darks. Brownet, or Phil Beach County, Verilly that devices are provisioned properly prior to device statum to district. Work with OEM on proactive issues and trends.	meets / exceeds requirement		meeta / exceeda sequinement		meets / cooperds requirement		rneets / exceeds requirement		und information will be made available.  Anthropies I to solice in front flates  Blanch, Parida, Cur J Mr warmings  Blanch, Parida, Cur J Mr warmings  Blanch, Parida, Cur J Mr warmings  and the solice and available and  controls all severally repeats. Anchonical  controls all severally repeats. Anchonical  Extra point report of the solice and the solice  I calmance days on selection than the first  the repeir request in admittable.  An experimental and the solice and the solice  and posterior point and the solice  and posterior point before  and posterior posterior  and posterior posterior  and posterior  a		We are fully Dall authorized to perform warranty services.			Included			Instituted
OTHER	SECURITY	POSIGNE PERSONNE MOUSE, PEP DriveLock and Automatic DriveLock; HP Secure Erase; HP Sure Sance; BIOS Update via Network; HP BIOSphere Gene; TPM 2.0 embedded security chip (Common Criteria EAL4- and FIPS 140-2 Level 2 Certified); HP Sure Start Gen?; HP Wake		meets / exceeds requirement	UDT HP OPTION 2	meets / exceeds requirement	UDT HP OPTION 3	meets / exceeds requirement	UDT HP OPTION 3		1 1							
	Full Replacement			\$442.45 \$536.81 \$121.14	\$448.41	-	\$434.46	=	\$499.71	<u> </u>	ARCHAI \$837.00 \$402.00 \$62.00 \$100.00 \$67.00 \$109.00 \$57.00 \$2.00	NGEL		Evolvtec 586.92			Arey Jones D \$ 560.70 \$ 225.89 \$ 73.64 \$ 71.33 \$ 53.69	ell Arey Jones Lenovo
	Screen Base Enclosure	part of the screen		\$536.81 \$121.14	\$448.41 \$504.61 \$121.14 \$504.61 \$116.66 \$138.03 \$147.30	-	\$434.46 \$524.61 \$121.54 \$524.61 \$516.16 \$138.03	=	\$439.71 \$524.61 \$121.14 \$524.61 \$516.16 \$138.03 \$147.30	<del>-</del>	\$62.00			30.36			\$ 225.89 \$ 73.64	\$ 430.05 \$ 274.22 \$ 86.19 \$ 76.09 \$ 73.45
Non-Warranty Repairs	Port Keyboard	part of the schein part of the motherboard		\$522.78 \$138.03	\$516.16 \$138.03	-	\$516.16 \$138.03	=	\$516.16 \$138.03	3	\$67.00			5.25 57.9			\$ 53.69 \$ 95.69	\$ 73.48 \$ 73.48 \$ 111.32
	Battery Power adapter			\$138.03 \$147.30 \$95.04	\$147.30 \$95.04	-	\$147.30 \$95.04	=	\$147.30 \$95.04	- -	\$109.00 \$57.00			105.29 41.3			\$ 95.69 \$ 133.49 \$ 82.88	\$ 73.48 \$ 111.32 \$ 105.82 \$ 75.21 \$ 1.00 \$ 5.00
	Asset Tagging			\$0.75	\$0.75	-	\$0.75	_	\$0.75	=	\$2.00			- 5			\$ 1.00 \$ 5.00	\$ 1.00
	Etching			\$2.09	\$2.09		\$2.09	_	\$2.09		\$3.00			10			\$ 5.00	\$ 5.00
	Etching			\$0.75 \$2.09	\$95.04 \$0.75 \$2.09		\$95.04 \$0.75 \$2.09		\$95.04 \$0.75 \$2.09		\$3.00			10	AREY JONES		\$ 5.00	
	Exching		UDT-HP OPTION 1	UDT-HP OPTION 2	2	UDT HP OPTION	N 3	UDT HP OPTION 3		ARCHANGEL HP			EVOLVTEC DELL		AREY JONES DELL			AREY JONES -Lenovo
M-DC	Etching  CPS Minimum Specifications - Carts	Description of Proposed Solution	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP	Price	December of Bronsons		Price	DELL	Manufacturer/Model	Price	AREY JONES -Lenovo  Description of Proposed Solistica Manufacturer/Model Price
M-OC Storage Capaci	Must house and secure 30 convertible	Description of Proposed Solution  Connect30 holds 30 devices	UDT-HP OPTION 1	UDT-HP OPTION 2	2					ARCHANGEL HP	Price	Description of Proposed Solution Yes, our AC Go 16 cabinet			DELL	Manufacturer/Model Anywhere Cart AC-LITE SMART	Price	AREY JONES -Lenovo
M-DC Storage Capaci External Construction	Must house and secure 30 convertible	Description of Proposed Solution  Connect30 holds 30 devices  Cart is constructed primarily of 16 Gauge Steet.  Dividers and Quickbrick trava are constructed of	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Description of Proposed Solution  ACJUTE-PW45 in sepatia of hosain and sacting 30 convertible tribitions with 11.5° displays  LTE-PW45  LTE-PW45	Price	December of Bronsons		Price	DELL	Manufacturer/Model Anywhore Cart AC-LITE SMART	Price	AREY JONES -Lenovo  Description of Proposed Solistica Manufacturer/Model Price
M-DC Storage Capaci External Construction Shalvino Device Spacing	Ethning  TPS Minimum Specifications - Curts  Must house and secure 30 convention melotodas with 11 of displays  Trained and displays of displays  Must be 30 mean steel or Ethnica  Debate and produce in the first or more in specify but a accommodate current Dishird  secured student for the convention of the convention	Description of Proposed Solution  Connect30 holds 30 devices	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Description of Proposed Solution  ACJUTE-PW45 in sepatia of hosain and sacting 30 convertible tribitions with 11.5° displays  LTE-PW45  LTE-PW45	Price 1379	Description of Proposed Solution Ves, eur AC Go 16 cabisest Yes 12 gags steel construction. With ball is lock		Price	DELL Description of Proposed Solution 30 Unit	Manufacturer/Model Anywhere Cart AC-LITE SMART	Price	AREY JONES -Lenovo  Description of Proposed Manufacturer/Model Price Solution Anywhere Cart AC- LTE SMART  DESCRIPTION OF THE PRICE OF THE SMART  ANYWHERE ANY THE SMART  DESCRIPTION OF THE PRICE OF THE SMART  ANYWHERE ANY THE SMART  DESCRIPTION OF THE PRICE OF THE SMART  ANYWHERE ANY THE SMART  DESCRIPTION OF THE PRICE OF THE PR
Storage Capaci External Construction Shalving Device Spacing	Must have and secure 30 convertible inhelicobes with 11.6" displays.  Welded solid sheet flamms, must be 12-18 graps, the sheet flamms, must be 12-18 graps, the sheet flamms and she	Description of Proposed Solution  Connect30 holds 30 devices  Call a constructor privary of 16 Cargo Shell  Solution and Callotte Stage Shell  Solution and Callotte Stage are constructed of solution series. A Solit Paster  Cargo Series Solution Stream  Cargo Series Series  Cargo Series Series  Cargo Serie	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Sessingtion of Proposed Bulletin  MCATE-PROS in speake of houses  Anyther Care AC  ACTIF PROS in speake of houses  Anyther Care AC  ACTIF PROS SERVICE as 1 To prop  Anyther Care AC  ACTIF PROS SERVICE as 1 To prop  BOTH PROS SERVICE AS 1 TO prop  BOTH PROS SERVICE AS 1 TO prop  ACTIF PROS SERVICE AS 1 TO prop  BOTH PROS SERVICE AS 1 TO prop  ACTIF PROS SERVICE AS 1 TO prop  BOTH PROS SERVICE AS 1 TO prop  ACTIF PROS SERVICE AS 1 TO prop  ACTIF PROS SERVICE AS 1 TO prop  BOTH PROS SERVICE AS 1 TO prop  ACTIF P	Price 1379	Description of Proposed Solution Yes, our AC Go 16 cabinet		Price	DELL Description of Proposed Solution 30 Unit Full Metal Construction Thicker, 16-12 assure	Manufacturer/Model Anywhere Cart AC-LITE SMART	Price	AREY JONES - Lenovo  Description of Progonal  Manufacturer/Model Price  Solidan  Anywhere Cart AC- LITE SMAART  Full Media Construction  Tincher, 19-17 septe
M-DC Storage Capacia Esternal Construction Sthatutes Device Spacing Internal Observal Materia Esternal Dimensions	Must have see and section 30 conventibles relatedated with 11 of displaying the control of the section of the section of the section of the proper sheet.   Most tab 20 consent sees or finises species to be section of the section of the species part of the section of the section of species part of the section of the section of species and section of species and section of species and section of species and section of species and species and species and species and species and species and species species and species and species sp	Disscription of Proposed Solution  ConnectS holds Sit devices  An advantage of the Connect Solution  Content of the Connect Solution  Content on Couldwide Steps are considerated of  Content on Couldwide Steps are considerated of  Content on Couldwide Steps are considerated of  Content on Couldwide Solution  Content	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP Description of Proposed Solution Munificative/Miso acquisite of housing ACUTEP-V96's a capative of housing Acytephere Cart AC- LITE-PW45 Acytephere Cart AC- LITE-PW45 ACUTEP-N96 Seatons a 12 gauge ACUTEP-N96 Seatons a 12 gauge ACUTEP-N96 Seatons a 12 gauge ACUTEP-N96 Seatons 20 gauge ACUTEP-N96 S	Price 1379	Description of Proposed Solution  Yes, ser. K. Go Healther  Yes, ser. K. Go Healther  Yes 1.2 page shed construction. With both in lock  Yes 1.2 page shed construction. With both in lock  Yes 1.2 page shed construction. With both on lock  Yes 1.2 page shed construction.  Yes 1.2 page shed construction.  Yes 1.2 page shed construction.  Yes 1.2 page shed with high both of page shed construction.  In construction of the page shed construction.  It would not be a shed of the page shed construction.		Price 1227.15	DELL Description of Proposed Solution 30 Unit Full Metal Construction Tricker 10-12 asszes Divider Specing 1.43*	Manufacturer/Model Anywhere Cart AC-LITE SMART	Price	AREY JONES - Lenovo Oxecription of Proposed Manufacture/Model Price Souther Control Price Anywhere Cart AC UTE SMAART - 888 William Combination Distance 19-12 agents Distance Spacing 1-42"
Storage Capaci External Construction Shalving Device Spacing	shart howe and service 30 conventions inhibitions with 11 for disprings.  Whiteful sold is least forms, must be 12-18 groups that.  Marks but for 30 mones dated for finisher sold in the service of th	Description of Proposed Biolotics  Connected biolotics 28 devices  and a connected biolotic 28 devices  and a connected promised of 15 design black  Devices and a connected promised of 15 design black  Devices and a connected promised order  and a connected promised order  Devices and a connected promised pr	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Description of Proyeced Solvitors  CC-UTI-PWR to register of Termon  CC-UTI-PWR to register of Termon  Anyther CAR AC-  THEPWR  ANYTHER  ANYT	Price 1379	Description of Proposed Bolation  Yes, new AC Go 16 collects  Yes 12 page and commercion. With totals is lock. Yes 12 page and commercion. With totals is lock. Yes 12 pages and commercion. With Yes 12 pages and provide at lant 127° Shahwa mana provide at lant 127° Shahwa mana provide at lant 127° shahwa mana pages and total pages at lant 127° moves size yellow to the page 117° moves size yellow to		Price 1227.15	DELL Description of Proposed Solution 30 Unit Full Metal Construction Thicker, 10-12 causes Divider Specing 1.43*	Manufacture/Model Alegenhere Cart AC-LITE SMAKET	Price	AREY JONES - Lenovo  Chardylline of Proposed  Manufacture/Model  Price Souther
Storage Capaci External Construction Shalving Device Spacing	Note these and record Street of the Street o	Description of Proposed Biolitics  Commental biolitics 32 devices  Annual Annual Commental biolitics 32 devices  Annual Annual Commental biolitics 32 devices  Annual Annual Commental biolitics  Annual Biolitics	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Secretifies of Proposed Solicition  CLC/LTP/PWG is registed in Classification  CLC/LTP/PWG is registed in Classification  Association of Classification  Association of Classification  ACL/LTP/PWG is submitted in Classification  ACL/LTP/PWG is submitted in Classification  ACL/LTP/PWG is submitted in Classification  action of an economical  Classification of Classification  ACL/LTP/PWG is submitted in C	Price 1379	Dascrifetion of Proposed Bolation  Ton, mer AC Go Sé cubines  Yes 2 page enter construction. With this lock.  The Committee of the Committee o		Price 1227.15	DELL Description of Proposed Solution Solution Full Medial Construction Thinker: 10:12 sause Divider Specing 1.43* plastic reyton 24.2* W / 25.2* D / 44.8* H	Manufacturer Model Angrehare Carl AC-LITE SMART	Price	AREY JONES -Lenovo  Discription of Proposed  Manufacture Mode  Price  Discription of Proposed  Anywhere Cart Ac-  10 Ust  Manufacture Mode  Price  989  Mala Commission  Discription  Discription of Price  Anywhere Cart Ac-  10 Ust  Manufacture Mode  989  Mala Commission  Discription  AP 2 W / 25 27 D / 44 87 H
Storage Capaci External Construction Shalving Device Spacing	Much from our of secure 20 incomplation.  The control of the contr	Description of Proposed Biolistics  Connected that 35 devices  A connected that 35 devices  A connected property of 11 Grapp float  Content and Description of 12 Grapp float  Content and Opposite division provided or con-  content of 26 Articles  Content and Springer division provided or con-  contenting Springer division provided or con-  contenting Springer division provided or con-  contenting Springer division provided conven-  ment also suspend of finished releasing in  Contenting Springer division and con-  Contenting Springer content and con-  Contenting Springer contenting springer con-  Contenting Springer con-	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Besergtion of Proposed Solution  ACUTE-PVMS in specials of Amount  ACUTE-PVMS in specials of Amount  Acute Solution  ACUTE-PVMS share as 12 page  Acute Solution  ACUTE-PVMS share as 12 page  ACUTE-PVMS on spage of all to 2 page  ACUTE-PVMS on spage of all to 2 page  ACUTE-PVMS on spage and to 2 page  ACUTE-PVMS on spage as 12 page  ACUTE-PVMS contents as 4°C sinds  and decisions as to basished.	Price 1379	Date/uplan of Proposed Solution Solution Solution The Sol		Price 1227.15	DELL Description of Proposed Solution Solution Jo Unit John Metal Construction Todate 10:12 assess Divides Specing 1.43' plastic raylor July 25.2" D / 44.8"H Keyed Door Lock Latch	MenofesturerModel Angrothers Carl AC-LITE SMART	Price	AREY JONES -Lenovo  Conscription of Proposed  Manufacture/Bridd  Price  Manufacture/Bridd  Price  State  Anymhren Cert AC  UTE BAANY  Full Manufacture/Bridd  State  State
Storage Capaci External Construction Shalving Device Spacing	Such these and search 20 interesting in Mindred and 11 Fe of 20 interesting in Mindred and 11 Fe of 20 interesting in Mindred and 12 interesting in Mindred and Mindred Interesting in Mindred In	Description of Proposed Buildings Connected Buildings 20 services The Connected Buildings 20 services The controlling Proposed of Chappe Basic Southers are Qualatives Says on combination of Controllings 20 services and Controllings 20 services Annals And Southers Says on combination of Controllings 20 services and Controllings 20 services 20 servic	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Sessingtion of Proposed Solution  ACL/ITE-PONG in special of Incoming  Accordance of Technology  Accordance	Price 1379	Data riginal of Proposest Belefores Two see AC for its colores Two sees and the colores Two splants Two splant		Price 1227.15	DELL  STUDIES OF Proposed  STUDIES OF Proposed  STUDIES OF PROPOSED  Foll Model Construction  Tables to 15-22 seams  Decide Specing 1 AV  STUDIES OF THE STU	Manufacture/Blodd Arrypothere Cart AC-LITE BBMART	Price	AREY JONES -Lenovo  Distantiquim of Proposet Basiliani Servici
Storage Capaci External Construction Shalving Device Spacing	Much frames and record Stromorphism.  This control was 11 to 10 to	Connected biological and Proposed Biological Connected biological State of Connected biological State of Connected biological State of Connected biological State of Connected	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Sescription of Progressed Solvines  MCCUTE-POWS is capacited of Instance, and Secritical Solvinessellate  ACCUTE-POWS in capacited of Instance, and Secritical Solvinessellate  ACCUTE-POWS desired to 12 Supple  secription of the Committee of Instance  provide and the three bits provide design  EARCH POWS Secritical Source  provide, and on accommodate  secription of the Committee of Instance  provide, and on accommodate  secription of the Committee of Instance  Town for ACCUTE Secritical Source  Town for ACCUTE Secritical Source  ACCUTE POWS Secritical Source  ACCUTE POWS Counters on a Michael  ACCUTE POWS counters on 4° surface, and definition of the Counters  ACCUTE POWS Goodens on 4° surface, and definition of the Counters  ACCUTE POWS Goodens on 4° surface, and definition of the Counters  ACCUTE POWS Goodens on 4° surface, and definition of the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  provided and the Counters  ACCUTE POWS Goodens on series  ACCUTE POWS GOODens ACCUTE  ACCUTE POWS GOODens ACCUTE	Price 1379	Description of Proposest Scholmer Section Sect		Price 1227.15	DELL Description of Proposed Solution Description of Proposed Solution Description of Proposed Solution Tables 1912 seaso Divider Space 1912 seaso Palacie region 242" W / 25.2" D / 44.8" H. Keyed Door Look Latch Self-Solution of Door Look Latch Description of Door Look Latch Self-Solution of Door Look Latch Description of Door Look L	Manufacturer Model Appywhere Carl AC-LITE SMART	Price	AREY JONES -Lenovo  Stateription of Proposets  South Application Cart AG  South Application Cart AG  South Application Cart AG  South AMERIC Connection  District 13-12 mouse  District 13-12 mouse  South Spuring 1-47*  Seadin option  Set 2" W 755.7" O 14.6"H  Keyard Coor Look Linth  Feliance / Districtional / Look  Johns of Coordinate /
Storage Capacing External Construction Sharkers Device Spacing Internal Materia External Dimensions Security Casters Faint Paint Power Management	Much frames and record Stromorphism.  This control was 11 to 10 to	Description of Proposed Solution  Committed biological Section of Proposed Solution  Committed biological Section of Proposed Solution  And I manufactured promitty of 11 Group Sharl  Couldance and Couldance Says are consolicated of  Couldance Section Section Section Section Section  Couldance Section Section Section Section Section  Couldance Section Section Section Section Section  Couldance Section Section Section Section Section  Couldance Section Section Section Section Section  Couldance Section Sectio	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Bassington of Propused Solution  ACCUTE POPER is required of Tracering  Accurate and a street of the Accurate Contral Contral Accurate Contral Cont	Price 1379	Bakerington of Proposess  Tom, or A'C has to colore  Tom, or A'C has to colore  Tom Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom  Tom Tom Tom Tom  Tom Tom Tom  Tom Tom Tom  Tom Tom Tom  Tom Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom		Price 1227.15	DELL  Stratighted of Proposed Stratighted Proposed Stratighted Proposed Stratighted Proposed Stratighted Stratight	MenofesturerModel Angreyhore Carl AC-LITE SMART	Price	AREY JONES - Lenovo  Description of Proposed South Control Con
Storage Capacing External Construction Sharkers Device Spacing Internal Materia External Dimensions Security Casters Faint Paint Power Management	Much from any officers of the control of the contro	Description of Programs of Belatition  Connected Desirable 32 devices  The Connected Desirable 32 devi	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Sessingtion of Proposed Solution  ACLITE-PONE in special or Incoming  Acquired Care of C	Price 1379	Bakerington of Proposess  Tom, or A'C has to colore  Tom, or A'C has to colore  Tom Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom  Tom Tom Tom Tom Tom  Tom Tom Tom Tom  Tom Tom Tom  Tom Tom Tom  Tom Tom Tom  Tom Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom Tom  Tom		Price 1227.15	DELL  STUDIES OF Proposed  STUDIES OF Proposed  STUDIES OF PROPOSED  Foll Model Construction  Thates to Explanate  Decide Spacing 1 AV  Spacing 1 AV  Style Device Spacing 1 AV  Keyed Door Look Links  Keyed Door Look Links  To Stall (Decident) I Look  Storage Control  Storage Co	MenuferturerRedal Appropriate Cart AC-LITE SMART	Price	AREY JONES -Lenovo  Distantiquim of Proposed Basiliani and Proposed Basiliani Appropriate Cart AC  10 US Appropriate CART AC  10 US Appropriate CART AC  10 US APPROPRIATE ACT AC  10 US APPROPRIATE ACT
Storage Capacing External Construction Sharkers Device Spacing Internal Materia External Dimensions Security Casters Faint Paint Power Management	Such disease and sease 20 incomplation.  This control was 11 to 20 incomplation and 11 to 20 inc	Description of Proposed Buildings Commental Buildings 20 devices And a manufacture groundly of 15 days flow Davides and charless Says are completed of Davides and charless Says are completed of Davides and charless Says are completed of Davides and Could be a second of the Davides and Davides of the second of the Davides ARD planted devices protect devices are containing (delicate mensorials in a Davides ARD) planted devices protect devices are containing (delicate devices protect devices are containing of Board devices protect devices are contained to the containing of Board devices protect are contained to the containing of Board devices are contained to the conta	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Sessingtion of Proposed Solution  ACLITE-PORG in speaked and instance and secondary of promotions.  ACLITE-PORG in speaked and instance and secondary of promotions.  ACLITE-PORG Secondary is 1 years  ACLITE-PORG Secondary in 1 years  ACLITE-PORG section on 6", system  ACLITE-PORG section	Price 1379	Description of Proposess Selection Ves. see No. 12 age deal reconstruction. We have been seen to be a selected to the collection of the co		Price 1227.15	DELL  Student	Manufacturer/Briefel Anyto-harte Cart AC-LITE SMART	Price	AREY JONES - Lenovo  Distortipion of Proposet Banduchene Made Control Control Booken Control Boo
Storage Capacing External Construction Sharkers Device Spacing Internal Materia External Dimensions Security Casters Faint Paint Power Management	Such disease and sease 20 incomplation.  This control was 11 to 20 incomplation and 11 to 20 inc	Description of Proposed Buildings Commental Buildings 20 devices And a manufacture groundly of 15 days flow Davides and charless Says are completed of Davides and charless Says are completed of Davides and charless Says are completed of Davides and Could be a second of the Davides and Davides of the second of the Davides ARD planted devices protect devices are containing (delicate mensorials in a Davides ARD) planted devices protect devices are containing (delicate devices protect devices are containing of Board devices protect devices are contained to the containing of Board devices protect are contained to the containing of Board devices are contained to the conta	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Sessingtion of Proposed Solution  ACLITE-PONG in speaked of Instantia  ACLITE-PONG in speaked of Instantia  Arryphore Care Affect  Activities of Care Affect  Activities	Price 1379	Description of Proposets Selection Ven. see 2.12 Get date for a collection Ven. 2.12 see 2.12 Get date for a collection Ven. 2.22 see 2.12 see 2.12 Get date for a collection Ven. 2.22 see 2.12 se		Price 1227.15	DELL  Stratighted of Proposed Stratighted Proposed Stratighted Proposed Stratighted Proposed Stratighted Stratight	Manufacturer Model Angrebrare Carl AC-LITE SMART	Price	AREY JONES - Lenovo  Description of Proposed South Control Con
Storage Capacing External Construction Sharkers Device Spacing Internal Materia External Dimensions Security Casters Faint Paint Power Management	Much frames and record Street controlled to the	Consecution billion 20 devices on Consecution and Consecution and Consecution and Consecution and Consecution and Consecution and Consecution 20 devices and Consecution 20 dev	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Sessingtion of Proposed Solution  ACLITE-PORG in speaked and instance and secondary of promotions.  ACLITE-PORG in speaked and instance and secondary of promotions.  ACLITE-PORG Secondary is 1 years  ACLITE-PORG Secondary in 1 years  ACLITE-PORG section on 6", system  ACLITE-PORG section	Price 1379	Description of Proposess Selection Ves. see No. 12 age deal reconstruction. We have been seen to be a selected to the collection of the co		Price 1227.15	DELL  Student	Manufacture/Model Angrehare Carl AC-LITE SMART	Price	AREY JONES - Lenovo  Distortipion of Proposet Banduchene Made Control Control Booken Control Boo
Storage Capacing External Construction Sharkers Device Spacing Internal Materia External Dimensions Security Casters Faint Paint Power Management	Much these and issues 20 inventibles with 12 of 20 inventibles with 12	Description of Programs of Belatition  Connected Desirable 32 devices  The Connected Desirable 32 devi	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Bessegtion of Proposed Solution  ACUTE-POWED supposed Solution  ACUTE-POWED supposed Solution  ACUTE-POWED supposed Solution  ACUTE-POWED SOLUTION  ACUTE POWED SO	Price 1379	Backerigina of Proposed  Description of Proposed  Total Conference of Co		Price 1227.16	DELL  Consistent of Proposed Solitone  Fell Stade Construction  Fell St	MenofesturerModel Angrephore Carl AC-LITE SMART	Price	AREY JONES - Lenovo  Discription of Proposed Search State of Price Search Searc
Bronge Capating Entered Sections of Sectio	Multi-frame and record 20 incomplation.  The control of the contro	Description of Proposed Buildings  Commetted blook 32 devices  And a manufacture promptly of 15 days flow  Southers and charless Says are combined and  Southers and Southers and Commetter of Southers and  Southers and Southers and Commetter of Southers and  Southers and Southers and Southers and Southers and  Southers and Southers and Southers and Southers and  Southers and Southers and 15 gauge intelled soon  Johnston Southers and 15 gauge intelled soon  The Southers	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Sessingtion of Proposed Solution  ACLITE-POWS in separate distances  ACLITE-POWS in separate of Instance  Acquire-Committee  Acquire	Price 1379	Date of princes of Proposests Bolderies.  No. see AC for the collection of Proposests Bolderies.  You for the Collection of Proposests Bolderies and the Collection of Proposests Bolderies		Price 1227.16	DELL  SCHOOL Proposed  SCHOOL Proposed  Fall Made Construction  Fall Made Cons	MesofestwerModel Approhise Carl AC-LITE SMART	Price	AREY JONES -Lenovo  Stantification of Proposed Stantification of Proceedings of P
Borup Capaline Esternal Estern	Much from an entire con 20 increased labor.  The control of the co	Consecution of Programs of Bellution  Connected thinks 32 devices  The Consecution of Programs of Bellution  Connected thinks 32 devices  The Consecution of Programs of Bellution  The Consecution of Bellution of Bellution  The Consecution of Bellution of Bellution  The Consecution of Bellution  The Consec	UDT-HP OPTION 1	UDT-HP OPTION 2	Manufacturer/ Price		Manufacturer/ Price			ARCHANGEL HP  Bessegtion of Proposed Solution  ACUTE-POWED supposed Solution  ACUTE-POWED supposed Solution  ACUTE-POWED supposed Solution  ACUTE-POWED SOLUTION  ACUTE POWED SO	Price 1379	Date of princes of Proposests Bolderies.  No. see AC for the collection of Proposests Bolderies.  You for the Collection of Proposests Bolderies and the Collection of Proposests Bolderies		Price 1227.16	DELL  Consistent of Proposed Solitone  Fell Stade Construction  Fell St	Manufacturer/Model Angrebrare Carl AC-LITE SMART	Price	AREY JONES - Lenovo  Discription of Proposed Search State of Price Search Searc
Borup Capaline Esternal Estern	Substitutes and transcription of the control of the	Description of Programs of Buildings  Connected Thinkins 23 devices  The Connected Thinkins 23 devices  The Connected Thinkins 23 devices  Thinkins 24 devic	UDT-HP OPTION 1	UDT-HP OPTION 2	Secretario Price Secretario S. 1.037.34	UDT HP OPTION	Manufacturer/ Price	UDT HP OPTION 3		ARCHANGEL HP  Sessingtion of Proposed Solution  ACLITE-POWS in separate distances  ACLITE-POWS in separate of Instance  Acquire-Committee  Acquire	Price 1379	Description of Proposess  Description of Proposess  Sea of Color to colors  The Color of Colo		Price 1227.16	DELL  Student	Menofesture/Model Angrehiere Carl AC-LITE SMART	Price	AREY JONES - Lenovo  Distortipion of Proposet  Banduchasembada Priza  Distort  Mary Mary Carl AC  ST 1981  Distort  Dist
Surger Capati Ferror Manager Capati Statistical Capating Capatin	Substitutes and transcription of the control of the	Description of Programs of Belatition  Connected Desirable 20 devices  The Connected Desirable 20 devi	UDT-HP OPTION 1 Manufacturen/Model Spectrum/Connect 30	UDT-HP OPTION 2  Price 11.037.54	Secretario Price Secretario S. 1.037.34	UDT HP OPTION	N 3    Manufacturer   Price   Model   Manufacturer   Model   Manufacturer	UDT HP OPTION 3	Spectrum Proce Spectrum Connect 39 S1,937.94	ARCHANGEL HP  Bessegtion of Proposed Solution  ACUTE-PORT Inspirate and Post Inspirate Annual Post Inspirate and Post Inspirate Annual Po	Price	Date of proposed below.  The second of the s	Mendessenfledel AC-GO Anymhres Get	1227.15	DELL  Substitution of Programme  Substitution of Programme  Substitution of Programme  Fall Market Constructions  That Market Constructions  That Market Constructions  And Market Constructions  Fall Market Constructions  Fall Market Constructions  Fall Market Construction  Fall	Anywhere Cart AC-LITE MAART	Price 895	AREY JONES -Lenovo  Stantification of Property of Security Securit

rage pacity	Must house and secure 10-12 convertible notebooks with 11.6" displays	Connect 10 holds 10 devices	Spectrum/Connect 10	\$411.19	Spectrum/Con nect 10	\$411.19	Spec	ctrum/Con nect 10 \$411.	19	Spectrum/Con nect 10	\$411.19	AC-COMP-16 fits 16 devices	Anywhere Cart AC- COMP-16	1779 Yes.	our AC Go 16 cabinet	AC-GO Anywhere	823.5	6 Unit	Anywhere Cart AC-COMP-16	380.95 16 Unit	Anywhere Cart AC-	380.95
m	Locker must fit on a countertop	meetss or exceeds requirement										AC-COMP-16 is designed to fit on a	COMIT - TO	fec 12	2 gage-steel construction. With built in	out.		Desk or Wall Mountable		Desk or Wall Mountable	- 10	
ternal natruction	Must be constructed of steel or similar durable metal that prevents exterior access to the contents without opening doors (no removable panels)	Cart is constructed primarily of 16 Gauge Steel. Dividers and Quidsbrick trays are constructed of high density ABS Plastic										AC-COMP-16 external construction is 100% metal		Ves 1	2 gauge steel thicker		ı	full Metal Construction		Full Metal Construction		
vice Spacing	Shelves must provide at least 1.25' or more in spacing, to accommodate current District insued student laptops and tablets with keyboards.	Space saving Vertical Storage Internal Bay Demensions: 1.25°W x 14.39°D x 10.122°H										AC-COMP-16 features more than enough shalf spacing to accomodate for district issued taptops and accessories		in spo	ves must provide at least 1.25° or more acing, to accommodate current Datrict of shadent laptops and tablets with nards (typical 12-13° screen size)			Nider Specing 1*, with emovable dividers to fit arger devices		Divider Spacing 1", with nemovable dividers to fit larger devices		
ernal terials	Shock absorbing ABS Plastic or Nyton shalf divider system to prevent wear and tear on devices	Durable ABS plastic dividers protect devices from scratching (dividers are removable to provide storage of thicker devices)										White the AC-COMP-16 does not come equipped with a mylon or plastic shelf divider system, a solution such as foam implant retrofiting can be provided by Archangel		thes gil	bots			lastic nylon		plastic nylon		
ternal nensions	Unit width must not exceed 28"	Cart footprint is 14.06" x 16.61" x 18.875" H										AC-COMP-16 external dimensions: Height: 14.5: Width: 24": Depth: 16.5"		fei, 2	5 inch wide		- 1	4.0° W / 16.5° D / 14.5° H		24.0°W / 16.5° D / 14.5° H		
curity	Must have lockable doors and must include everything needed to secure equipment, either through a metal hasp and padlock, and/or keyed locking handles; ideally with multi-point security (2 or 3 bott locking system). If a padlock (keyed or combination) is required, it was to be ideal. The must be seen to see the part of the combination of the combine padlock (seyed or combination) is required, it was to be ideal. The must be seen to be seen to be and to be desired. The must be seen to be seen to be and to be desired. The must be seen to be the seen to be desired. The must be seen to be the seen to be desired. The must be seen to be the seen to be desired. The must be seen to be the seen to be desired. The must be seen to be the seen to be desired. The must be seen to be the seen to be desired.	Single point keyed lock and 16 guage steel door privide security. Hasp locks provide an additional level of security and the ability to use padlocks of choice, or to secure unit to that well.										AC-COMP-16 includes a padlock loop security system, and comes with locks		Built pad li	in lock at the top of the cabinet and lock for the doors.		8	Center Divider with Padiock		Center Divider with Padiock Loop		
ver nagement	Must work with a standard 15 Amp electrical circuit.	Comes with 10-Outlet, surge surpressed power strip. Works wil standard 15 Amp electrical circuit.										The AC-COMP-16 has been engineered to charge all connected devices from a single 15 A AC circuit. AC-COMP-16 features 2 AC cutlets,		Tes 21	Lang electrical			res		Yes		
ie agement	Provide power adapter cord management system through as needed.	Power Drawerprovides easy access to electrical power while keeping line voltage wiring and courts seem from sturtents										up to 100 W power adapter, and 2		Tes, o	ffers a cable management			Cable Management		Cable Management		
sembly	Must arrive fully assembled and wired to sites.	confirmed										USB charging ports, up to 2.4 A each AC-COMP-18 unts will arrive fully assembled and will be ready for use after simply connecting the main cable to a power source.		Yes				Trips Fully Assembled		Ships Fully Assembled		
099	Full-access doors in the front for the user.	confirmed										AC-COMP-16 features full-access		Yes				ull Access		Full Access		
uty	ioules with LED "protected" indicator. ON / OFI	Certified for both electrical and tip. Labeling provide on the outside as well internally on each power strip. See document showing all labels										food doors for easy user accessibility. AC-COMP-16 electrical components are UL listed. Power strips provide surge protection for 2850 joules with LED "protected" indicator, and feature an ON / OFF reset switch (non- lighted), and resettable 15A circuit		Yes				ED touch screen that hows on or off		LED touch screen that shows on or off		
cellaneous	Cart must also provide ventilation vents to ensure devices don't overheat while charging it cart.											AC-COMP-16 features ventilation vents that ensure devices don't overheat while charging in cart		Yes				fented Sides For Heat Xssipation		Vented Sides For Heat Dissipation		
ranty	5 Year on Electronics, 10 Year on Cart (Metal and Structural components), Warranty is onsite and include all parts & labor.	Cart warranty is for 10 years (cart) and 5 years (e	electrical)									AC-COMP-16 features a lifetime warranty for metal and structural components, and 5 year warranty on electronics		S yes	or electrical life time frame work			rame: Lifetime Warranty Sectronics: 5 Year Warranty	,	Frame: Lifetime Warranty Electronics: 5 Year Warranty		
oling	Lockers must cabled with devices per District specifications.	confirmed										AC-COMP-16 will be cabled with devices according to any District specifications		Yes			1	ncluded		Included		
ivery	Provider must be able to deliver up to 50 wired	confirmed										Archangel will deliver as many wired		Yes				ncluded		Included		
cumentation	Provide file of lockers delivered to the District is specified format or template including serial rumber, model, assigned location number, designated program, and other information as determined by the District within 48 hours of	confirmed										lockers diely in is necessary. Archangel employs a leam of account managers whose role includes working together with government entities, such as school districts, in documenting all information requested		Yes			ı	ncluded		Included		
	delivery. Provide complete Proof of Delivery											in the desired formatting of the										